



قارئ الباركود CCD طويل المدى اللاسلكي محطة تهمة 433MHz YT-1501




Description

Yumite YT-1501 433 MHz هو قارئ باركود لاسلكي ذو محطة تهمة يعمل على تردد 433 MHz. يتميز بتصميمه المضغوط وقابليته للتعديل عن بعد، مما يجعله خيارًا مثاليًا للمؤسسات التي تحتاج إلى حلول باركود مرنة. يحتوي الجهاز على شاشة عرض LED وفتحة لاسلكية لتسهيل الاستخدام. يوفر أداءً موثوقًا وقراءة سريعة للباركودات، مع بطارية قابلة لإعادة الشحن تدوم لمدة 8 ساعات. يزن الجهاز 400 جرامًا فقط، مما يجعله خفيفًا وسهلًا للتعديل. يدعم الجهاز 300,000 مسحًا في الثانية الواحدة (MPS) مع دقة عالية تبلغ 0.04 ملليمتر. يتوافق مع أنظمة التشغيل Windows وLinux. يتصل الجهاز بالكمبيوتر عبر كابل USB. يتميز الجهاز بتصميمه المضغوط وقابليته للتعديل عن بعد، مما يجعله خيارًا مثاليًا للمؤسسات التي تحتاج إلى حلول باركود مرنة.

Specification

| Para | Model | YT-1501 | | | | | | | | | | | | | | |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|--------------|------------------|----------------------|-------|------------------------|-------|-----------------------|-------|-------------------------|-------|----------------------|-------|------------------------|-------|
| Image | | | | | | | | | | | | | | | | |
| Image |  | | | | | | | | | | | | | | | |
| Performance Parameter | | | | | | | | | | | | | | | | |
| Depth Filed |  <table border="1"> <thead> <tr> <th>Barcode Type</th> <th>Maximum Distance</th> </tr> </thead> <tbody> <tr> <td>code39(10mil,6bytes)</td> <td>310mm</td> </tr> <tr> <td>code39(15.6mil,6bytes)</td> <td>420mm</td> </tr> <tr> <td>code128(10mil,6bytes)</td> <td>340mm</td> </tr> <tr> <td>code128(15.6mil,6bytes)</td> <td>450mm</td> </tr> <tr> <td>EAN13(10mil,13bytes)</td> <td>310mm</td> </tr> <tr> <td>EAN13(15.6mil,13bytes)</td> <td>430mm</td> </tr> </tbody> </table> | | Barcode Type | Maximum Distance | code39(10mil,6bytes) | 310mm | code39(15.6mil,6bytes) | 420mm | code128(10mil,6bytes) | 340mm | code128(15.6mil,6bytes) | 450mm | EAN13(10mil,13bytes) | 310mm | EAN13(15.6mil,13bytes) | 430mm |
| Barcode Type | Maximum Distance | | | | | | | | | | | | | | | |
| code39(10mil,6bytes) | 310mm | | | | | | | | | | | | | | | |
| code39(15.6mil,6bytes) | 420mm | | | | | | | | | | | | | | | |
| code128(10mil,6bytes) | 340mm | | | | | | | | | | | | | | | |
| code128(15.6mil,6bytes) | 450mm | | | | | | | | | | | | | | | |
| EAN13(10mil,13bytes) | 310mm | | | | | | | | | | | | | | | |
| EAN13(15.6mil,13bytes) | 430mm | | | | | | | | | | | | | | | |
| Wireless Transmitting Distance (without barrier) | 300 - 400M | | | | | | | | | | | | | | | |
| Infrared induction distance | — | | | | | | | | | | | | | | | |
| Optical Source | 620nm Visible red light diode | | | | | | | | | | | | | | | |
| Imaging Sensor | CCD | | | | | | | | | | | | | | | |
| Image Resolution | 2500Pixel | | | | | | | | | | | | | | | |
| Reading Precision | ≥ 5mil | | | | | | | | | | | | | | | |
| Minimum Contrast | ≥ 30% | | | | | | | | | | | | | | | |
| Decoding Capacity | Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect. | | | | | | | | | | | | | | | |
| Decoding Speed | 280times/second | | | | | | | | | | | | | | | |
| Barcode Sensi | Tilt | ±55° | | | | | | | | | | | | | | |
| | Rotate | ±25° | | | | | | | | | | | | | | |
| | Deflection | ±75° | | | | | | | | | | | | | | |
| Data Interface | RJ-45 | | | | | | | | | | | | | | | |
| Mechanical and Electric Performance | | | | | | | | | | | | | | | | |
| Size(Length x Width x Height) | 210x84x117.5 mm | | | | | | | | | | | | | | | |
| Weight | 320g | | | | | | | | | | | | | | | |
| Indicator | Siren and LED light | | | | | | | | | | | | | | | |
| Battery Capacity | 600mah | | | | | | | | | | | | | | | |
| Max.Power | 750mw | | | | | | | | | | | | | | | |
| Working Voltage | DC5V | | | | | | | | | | | | | | | |
| Current | Max.Current | 150ma | | | | | | | | | | | | | | |
| | Working Current | 90ma | | | | | | | | | | | | | | |
| | Standby Current | 68ma | | | | | | | | | | | | | | |
| | Sleeping Current | 3ua | | | | | | | | | | | | | | |
| Charging current | 450ma | | | | | | | | | | | | | | | |
| Accessory List | | | | | | | | | | | | | | | | |
| Data Cable | Micro USB | | | | | | | | | | | | | | | |
| Wireless Reciver | — | | | | | | | | | | | | | | | |
| CD | — | | | | | | | | | | | | | | | |
| Opertation Manual | 1 | | | | | | | | | | | | | | | |
| Charge Station | 1 | | | | | | | | | | | | | | | |
| Environmental Parameter | | | | | | | | | | | | | | | | |
| Storage Temperature | -40°C ~ 60°C | | | | | | | | | | | | | | | |
| Working Temperature | 0°C ~ 50°C | | | | | | | | | | | | | | | |
| Relative Humidity | 0 ~ 95% | | | | | | | | | | | | | | | |
| Height Range | 2M | | | | | | | | | | | | | | | |
| IP Rating | IP52 | | | | | | | | | | | | | | | |
| Certification | | | | | | | | | | | | | | | | |
| CE, RoHS, EMC, LVD, ISO9001:2008, ISO14001:2004 | | | | | | | | | | | | | | | | |

INGER CERTIFICATION ASSESSMENT SERVICES



CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05
This is to certify the quality management systems of


Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of **ISO9001:2008**

Scope of approval
R&D, Production of Barcode Scanning Identification Equipment

Signed by:  Approval Date: 26 Dec. 2014
Expiry Date: 25 Dec. 2017

Manager Report Certification Information

Certification and Assessment Information


China England Accreditation Service Ltd No. 0100

Tel: +86 10 63121700

Fax: +86 10 63121701

Web: www.cas.com.cn

Add: Room 601, Jianguo Hotel, 12000 West Changshun Rd., Haidian District, Beijing 100044, China


The certificate information can be checked on the CAS website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.yumite.com or by calling CAS Client Services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, to which it must be returned if the management system of the certificate holder is approved to fail to be in conformity with the certificate standard.

INGER CERTIFICATION ASSESSMENT SERVICES



CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 E1 0796 R05
This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of **GB/T24001-2004/ISO14001:2004**

Scope of approval
The Related Environmental Management Activities of R&D, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

Signed by:  Approval Date: 26 Dec. 2014
Expiry Date: 25 Dec. 2017

Manager Report Certification Information

Certification and Assessment Information

China England Accreditation Service Ltd No. 0100

Tel: +86 10 63121700

Fax: +86 10 63121701

Web: www.cas.com.cn

Add: Room 601, Jianguo Hotel, 12000 West Changshun Rd., Haidian District, Beijing 100044, China





The certificate information can be checked on the CAS website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.yumite.com or by calling CAS Client Services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, to which it must be returned if the management system of the certificate holder is approved to fail to be in conformity with the certificate standard.



Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/95/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



RoHS



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,
YT-2500, YT-XXXX

| Essential requirement | Applied Specifications/Standards | Documentary Evidence | Result |
|-----------------------|----------------------------------|----------------------|--------|
| Art.3.1(a) Health | Not assessed | | |
| Art.3.1(a) Safety | EN60950-1 | UN2014122403ER-1 | Pass |
| Art.3.1(b) EMC | ETSI EN301 489-1/3 | UN2014122403ER-1 | Pass |
| Art.3.2 Radio | ETSI EN300 440 | UN2014122403ER-2 | Pass |

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



CE



Our factory

Yumite

