صناعة السيارات في معنى الباركود ماسحة ليزر مع الاختياري الوقوف YT-760B



Description

Yumite

هو أنسنة جدا. عندما تريد إلى إحساس السيارات تحتاج فقط إلى الضغط على الزناد لمدة 10 YT-760B تصميم ثانية ثم الماسح الضوئي يمكن قراءة الباركود تلقائيا. أيضا يمكنك قراءة الباركود لعملية يدوية. لذلك هناك نوعان من وظيفة يمكنك ان تختار.

Specification



Para	Model	YT-760B	
		Image	
lmage			
		Performance Parameter	
Depth Filed		20mm EAN13(10mil,13loytes)250mm coole39(10mil,6bytes) 260mm coole39(15.6mil,6bytes) 350mm coole128(15.6mil,6bytes) 270mm coole128(15.6mil,6bytes) 330mm EAN13(15.6mil,13bytes) 360mm coole128(15.6mil,13bytes) 360mm coole128(15.6mil,16bytes) coole128(15.6mil,16bytes) coole128(15.6mil,16bytes) coole128(15.6mil,16bytes) coole128(15.6mil,16bytes) coole128(15.6mil,16bytes) coole128(15.6mil,16	
Wireless Tran (without barrie	smitting Distance er)		
Infrared induc	tion distance	150 - 200mm	
Optical Source		650nm Visible red light diode	
Reading Precision Minimum Constract		≥4mil ≥ 30%	
Decording Capacity		UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect.	
Decoding Spe		100times/second	
Barcode	Tilt Rotate	±65° ±42°	
Sensitivity	Deflection	±60°	
Data Interface		RJ-45	
Size(Length v	Width x Height)	Mechanical and Electric Parameter 92.5×70×154.6 mm	
Size(Length x Width x Height) Weight		92.5×70×154.6 mm 168g	
weight Indicator		Siren and LED Light	
Battery Capac	ity		
Max.Power		500mw	
Working Volta	ge Max.Current	DC5V 100ma	
Current	Working Current	92ma	
Current	Standby Current	71ma	
Charging Curr	Sleeping Current ent	 450ma	
July Carrotte		Accessory List	
Data Cable		Micro USB	
Wireless Receiver		(2 <u>-101-</u> 9)	
CD Operation Manual		1	
Charge Station			
Holder		1set	
Storage Temperature		Environmental Parameter -40°C ~ 60°C	
Wireless Receiver		0°C ~ 50°C	
Relative Humidity		0 ~ 95%	
Height Range IP Rating		1.5M IP52	
n redung		Certification	
	CE,	RoHS, EMC, LVD, ISO9001:2008, ISO14001:2004	
5.			



CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification Equipment

Signed by:







CERTIFICATE OF REGISTRATION

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6£ Xingqiang Commercial Manason, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoun District, Shenzhen

Signed by:







Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Sherathen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingsieng Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bear an District, Sherathen Sherathen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingsiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bear an District, Sherathen Bar-code Scanner

YUMBB YT-1000, YT-760A, YT-760B, YT-41200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Drective 2011/95/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.





Sherzhen United Testing Technology Co., Ltd. Room 177-319, Block 1, University Tree Technology Park. 57-20m. South Rection, Fronty Tree Technology Park. Namelson Destrict. Breaches. PRC 315095 164-40-753-86 https://doi.org/10.1516/10.1516/ 164-40-753-86 https://doi.org/10.1516/









EC-R&TTE Certificate

Certificate Number: UNIZEL4122403EC-1

Applicant

Y1-1300, YT-850, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art 3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 489-1/-3	UNI2014122403ER-1	Pass
Att.3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

with the council #ATTE directive 90/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

Date of issue



Shenzhen United Testing Technology Co., Ltd.
Roses 317-319. Block 1. University Toes Technology Park.
97-20ne, Social Section, Hongranising Industrial Park.
Nasionan Darest Shenzhen, PRC 518091
106 - 987-556-660000 Fax-6156-66160118
106 University Section Section Section Section Sec





Our factory



