

# YT-1001 سلكية المحمولة قارئ الباركود USB بيع CCD حار

## Yumite



### Description

Yumite

الحصول على أعلى البصرية الأداء مع الحد الأدنى من الفرار وعلى مسافة القراءة القصوى مع هذا الاتصال الماسح فإنه من السهل أن الإعداد. ويتميز تصميم وعرة وموثوق بها و التوصيل والتشغيل واجهة CCD الضوئي والاستخدام.



ماسح الباركود أفضل حل لتجارة التجزئة، التطبيقات الصناعية CCD المحمولة USB الميزات وأقل تكلفة جعل هذا والطبية الخفيفة. التقاط واحدة اليوم.

الباركود ماسحة-التكلفة أقل يسلم الأساسي والمسح الضوئي عالية الجودة ل Yumite USB CCD والمحمولة مجموعة واسعة من الوظائف جمع البيانات للمساعدة في تحسين المعاملات الروتينية، أتمتة العمليات الورقية وزيادة الإنتاجية.


UPC، EAN، ASCII، MSI / PLESSEY، GS1 DataBar، Dمحرك الفحص يضم أي أجزاء متحركة لسنوات من خدمة موثوقة قراءة الباركود 1 وأكثر من ذلك. سهولة التنفيذ وسهلة الاستخدام، فك لوحة المفاتيح إسفين RS232 للتحويل أو USB مرتبطا في الكمبيوتر. لها تنوعا المدمج في البيانات الممسوحة ضوئيا يرسل إلى التطبيق النشط حيث يبدو كما لو أنه تم كتابتها يدويا أو مباشرة كابل واجهة يتكامل مع معظم أجهزة الكمبيوتر دون وجود RS232 للتحويل أو USB مرتبطا في الكمبيوتر. لها تنوعا إمدادات الطاقة الخارجية. مع معدل المسح من 280 مرة في الثانية الواحدة ومجموعة قراءة دقيقة لمدة تصل إلى 50 سم (20 بوصة)، هذا النموذج يوفر فعالية وكفاءة، لجميع الأغراض المسح اليومي حل لأقل تطلبا نقاط البيع، والمكاتب وغيرها من الإضاءة الخافتة المحيطة تطبيقات للحد من إدخال البيانات يدويا، والمعاملات السرعة والحد من الأخطاء.

### Specification

Yumite

| Para   | Model  | YT-1001 |
|--|--|---------|
| <b>Image</b>                                     |  |         |
| Image  |                                       |         |
| <b>Performance Parameter</b>                     |  |         |
| Depth Filed                                      |                                      |         |
| Wireless Transmitting Distance (without barrier) | —  |         |
| Infrared induction distance                      | —  |         |
| Optical Source                                   | 620nm Visible red light diode  |         |
| Imaging Sensor                                   | CCD  |         |
| Image Resolution                                 | 2500Pixel  |         |
| Reading Precision                                | ≥ 5mil   |         |
| Minimum Contrast                                 | ≥ 30%  |         |
| Decoding Capacity                                | Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect. |         |
| Decoding Speed                                   | 280times/second  |         |
| Barcode Sensitivity                              | Tilt   | ±55°    |
|  | Rotate   | ±25°    |
|  | Deflection   | ±75°    |
| Data Interface                                   | RJ-45  |         |
| <b>Mechanical and Electric Performance</b>       |  |         |
| Size(Length x Width x Height)                    | 92.5×70×154.6 mm   |         |
| Weight   | 127g   |         |
| Indicator  | Siren and LED light  |         |
| Battery Capacity                                 | —  |         |
| Max.Power  | 650mw  |         |
| Working Voltage                                  | DC5V   |         |
| Current  | Max.Current  | 130ma   |
|  | Working Current  | 86ma    |
|  | Standby Current  | 42ma    |
|  | Sleeping current   | —       |
| Charging Current                                 | —  |         |
| <b>Accessory List</b>                            |  |         |
| Data Cable                                       | Micro USB<br>RS232 Cable   |         |
| Wireless Receiver                                | —  |         |
| CD   | —  |         |
| Operation Manual                                 | 1  |         |
| Charge Station                                   | —  |         |
| <b>Environment Parameter</b>                     |  |         |
| Storage Temperature                              | -40°C ~ 60°C   |         |
| Working Temperature                              | 0°C ~ 50°C   |         |
| Relative Humidity                                | 0 ~ 95%  |         |
| Height Range                                     | 2M   |         |
| IP Rating  | IP52   |         |
| <b>Certification</b>                             |  |         |
| CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004      |  |         |

INGER CERTIFICATION ASSESSMENT SERVICES



## CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05  
This is to certify the quality management systems of


**Shenzhen World Reputation Electronics Technology Co., LTD**

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

Scope of approval  
**R&D, Production of Barcode Scanning Identification Equipment**

Signed by:  Approval Date: 26 Dec. 2014  
Expiry Date: 25 Dec. 2017

Manager Report Certification Assessment

Certification and Assessment Information


China England Accreditation Service Ltd No. 1208

Tel: +86 20 83212100

Fax: +86 20 83212101

Web: www.cas.com.cn

Add: Room 601, Jiaoling Mansion, 1208 West Zhongshan Rd., Foshan District, Guangzhou, China 510070


The certificate information can be checked on the CAS website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.yumite.com or by calling CAS Client Services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, to which it must be returned if the management systems of the certificate holder is approved to fail to be in conformity with the certificate standard.

INGER CERTIFICATION ASSESSMENT SERVICES



## CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 E1 0796 R05  
This is to certify the environmental management systems of

**Shenzhen World Reputation Electronics Technology Co., LTD**

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval  
**The Related Environmental Management Activities of R&D, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen**

Signed by:  Approval Date: 26 Dec. 2014  
Expiry Date: 25 Dec. 2017

Manager Report Certification Assessment

Certification and Assessment Information

China England Accreditation Service Ltd No. 1208

Tel: +86 20 83212100

Fax: +86 20 83212101

Web: www.cas.com.cn

Add: Room 601, Jiaoling Mansion, 1208 West Zhongshan Rd., Foshan District, Guangzhou, China 510070





The certificate information can be checked on the CAS website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.yumite.com or by calling CAS Client Services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, to which it must be returned if the management systems of the certificate holder is approved to fail to be in conformity with the certificate standard.



# Certificate of Compliance

Certificate Number: UN2014122403RC-3

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-  
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/95/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# RoHS



# EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,  
YT-2500, YT-XXXX

| Essential requirement | Applied Specifications/Standards | Documentary Evidence | Result |
|-----------------------|----------------------------------|----------------------|--------|
| Art.3.1(a) Health     | Not assessed                     |                      |        |
| Art.3.1(a) Safety     | EN60950-1                        | UN2014122403ER-1     | Pass   |
| Art.3.1(b) EMC        | ETSI EN301 489-1/3               | UN2014122403ER-1     | Pass   |
| Art.3.2 Radio         | ETSI EN300 440                   | UN2014122403ER-2     | Pass   |

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# CE



## Our factory

# Yumite

