

# YT-1401-MA ماسح الباركود مع ذاكرة CCD مصغرة بلوتوث لاسلكية MA



## Description

**Yumite**

اللاسلكية الباركود هو جهاز صغير خفيف الوزن. هو CCD البسيطة بلوتوث الماسح الضوئي YT-1401-MA Yumite المحمولة باليد تصميم حجم تسمح للمستخدمين حمل سهل في مكان العمل. use. With هندسيا ل DESIGNES

nm أحمر مسح الباركود براءات الاختراع. تعتمد الضوء الأحمر 620 LED حلول مسح الباركود مع ID استخدام 1 ونظام ذكي تحديد الصورة. عالية الأداء المتكامل CCD تكنولوجيا التصوير المعالج ومجلس فك التشفير، لديه فك سريعة وعالية الدقة القدرة على القراءة، وارتفاع القدرة المضادة للتدخل.

ماسح الباركود لباد، اي فون، الروبوت، لوحة، ويندوز، وأجهزة الكمبيوتر USB اجهات YT-1401-MA و

LCD. فإنه يمكن بسهولة قراءة الباركود على الورق، والسلع ووسائل الإعلام الأخرى، وحتى الباركود على شاشة

Feature

Yumite



### التعاقد اند موثوق

صغيرة محمولة بلوتوث اللاسلكية الباركود يمكن إرفاقها مع ما يقرب من أي جهاز بلوتوث مثل اي فون، آي باد والروبوت™ الهواتف الذكية وأقراص. PC، للمساعدة في قراءة الباركود سيئة أو المشوهة cabability سريع وغامض فك

### ضد الماء:

IP52 هو IP يعمل تماما تحت البيئات الرطبة وتصنيف YT-1401-MA

### منخفض & أمبير؛ درجة حرارة عالية:

تعمل بشكل جيد في ظل كل من أدنى اند ظروف درجات الحرارة العالية (-2 درجة مئوية إلى 59 درجة مئوية (28.4 درجة فهرنهايت إلى 138 درجة فهرنهايت)

### الميثاق:

صغيرة جدا في الحجم. من السهل التعامل معها، ليست صغيرة جدا للاحتفاظ بشكل مريح

### صدمة وأمبير. مقاومة للخدش:

غلاف صعبة للتشغيل حتى في البيئات القاسية أكثر. (مقاومة الصدمات: 1.5M / 4.9ft)

### عمر البطارية:

قدرة البطارية standby.And بطارية لقدرة عالية. أكثر من 6 ساعات التشغيل و 2 أيام 600mAh. يمكن تخصيص

Specification

Yumite

Para	Model	YT-1401-MA																		
<b>Image</b>																				
Image																				
<b>Performance Parameter</b>																				
Depth Filed	<table border="1"> <tr> <td>32mm</td> <td>code39(10mil,6bytes)</td> <td>310mm</td> </tr> <tr> <td>90mm</td> <td>code39(15.6mil,6bytes)</td> <td>420mm</td> </tr> <tr> <td>32mm</td> <td>code128(10mil,6bytes)</td> <td>340mm</td> </tr> <tr> <td>40mm</td> <td>code128(15.6mil,6bytes)</td> <td>450mm</td> </tr> <tr> <td>30mm</td> <td>EAN13(10mil,13bytes)</td> <td>310mm</td> </tr> <tr> <td>80mm</td> <td>EAN13(15.6mil,13bytes)</td> <td>430mm</td> </tr> </table>		32mm	code39(10mil,6bytes)	310mm	90mm	code39(15.6mil,6bytes)	420mm	32mm	code128(10mil,6bytes)	340mm	40mm	code128(15.6mil,6bytes)	450mm	30mm	EAN13(10mil,13bytes)	310mm	80mm	EAN13(15.6mil,13bytes)	430mm
32mm	code39(10mil,6bytes)	310mm																		
90mm	code39(15.6mil,6bytes)	420mm																		
32mm	code128(10mil,6bytes)	340mm																		
40mm	code128(15.6mil,6bytes)	450mm																		
30mm	EAN13(10mil,13bytes)	310mm																		
80mm	EAN13(15.6mil,13bytes)	430mm																		
Wireless transmitting distance (without barrier)	15 - 20M																			
Infrared induction distance	—																			
Optical Source	620nm Visible red light diode																			
Imaging Sensor	CCD																			
Image Resolution	2500 Peixel																			
Reading Precision	≥ 5mil																			
Minimum Contrast	≥ 30%																			
Decoding Capacity	Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect.																			
Decoding Speed	280times/second																			
Barcode Sensitivity	Tilt	±55°																		
	Rotate	±25°																		
	Deflection	±75°																		
Data Interface	micro usb																			
<b>Mechanical and Electric Performance</b>																				
Size(Length x Width x Height)	75.4×38.5×26 mm																			
Weight	61g																			
Indicator	Siren and LED light																			
Battery Capacity	600mah																			
Max. Power	750mw																			
Worrking Voltage	DC5V																			
Current	Max. Current	150ma																		
	Working Current	90ma																		
	Standby Current	68ma																		
	Sleeping Current	3ua																		
Charging Current	450ma																			
<b>Accessory List</b>																				
Data Cable	Micro USB																			
Wireless Receiver	Bluetooth																			
CD	1																			
Operation Manual	1																			
Charge Station	—																			
<b>Environment Parameter</b>																				
Storage Temperature	-40°C ~ 60°C																			
Working Temperature	0°C ~ 50°C																			
Relative Humidity	0 ~ 95% )																			
Height Range	1.5M																			
IP Rating	IP52																			
<b>Certification</b>																				
CE, RoHS, EMC, LVD, ISO9001:2000, ISO14001:2004																				

INGER CERTIFICATION ASSESSMENT SERVICES



## CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05  
This is to certify the quality management systems of

### Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

Scope of approval  
R&D, Production of Barcode Scanning Identification Equipment

Signed by: 

Approval Date: 26 Dec. 2014  
Expiry Date: 25 Dec. 2017





Manager Super Certification Assessment  
 Certification and Accreditation Administration of China  
 China England Accreditation Service Co., Ltd.  
 Tel: +86 10 62101260  
 Fax: +86 10 62101261  
 Web: www.caschina.com  
 Add: Room 602, Xingqiang Mansion, 1208 West Zhongshan St.,  
 Fubin District, Shanghai, China, 20037

The certificate information can be checked on the CAS website: WWW.CAS.CN/CN/EN. The validation of the certificate also can be obtained through www.caschina.com or by calling CAS China Service Dept. This certificate is only valid when used together with related permits unless otherwise. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate assumes the property of CAS, to which it must be returned if the management systems of the certificate holder is approved not to be in conformity with the certification standard.

INGER CERTIFICATION ASSESSMENT SERVICES



## CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 E1 0796 R05  
This is to certify the environmental management systems of

### Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval  
The Related Environmental Management Activities of R&D, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

Signed by: 

Approval Date: 26 Dec. 2014  
Expiry Date: 25 Dec. 2017





Manager Super Certification Assessment  
 Certification and Accreditation Administration of China  
 China England Accreditation Service Co., Ltd.  
 Tel: +86 10 62101260  
 Fax: +86 10 62101261  
 Web: www.caschina.com  
 Add: Room 602, Xingqiang Mansion, 1208 West Zhongshan St.,  
 Fubin District, Shanghai, China, 20037

The certificate information can be checked on the CAS website: WWW.CAS.CN/CN/EN. The validation of the certificate also can be obtained through www.caschina.com or by calling CAS China Service Dept. This certificate is only valid when used together with related permits unless otherwise. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate assumes the property of CAS, to which it must be returned if the management systems of the certificate holder is approved not to be in conformity with the certification standard.



# Certificate of Compliance

Certificate Number: UN2014122403RC-3

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-  
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council  
RoHS Directive 2011/95/EU. It is only valid in connection with the test report number:  
UN2014122403RR-3.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
9<sup>th</sup> Zone, South Section, Hongguang Industrial Park,  
Nanshan District, Shenzhen, PRC, 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# RoHS



# EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,  
YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403ER-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance  
with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the  
compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
9<sup>th</sup> Zone, South Section, Hongguang Industrial Park,  
Nanshan District, Shenzhen, PRC, 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# CE



## Our factory

# Yumite

