

200-150mm 2D Distanc (— — (200mm 200mm
 620nm 200mm 200mm 200mm 200mm 200mm 200mm
 CCD
 2500 200mm 200mm
 $5 \leq$ 200mm 200mmmil
 $\%30 \leq$ 200mm 200mm 200mm
 "Code128 EAN 13 EAN 8 Code39 200mm 200mm 200mm 200mm 200mm
 Codabar
 5 2 200mm ISBN 200mm 93 200mm/EAN-128 GS1 " .200mm 200mm
 280 200mmtimes 200mm 200mm
 ° 55± 200mm 200mm 200mm
 ° 25± 200mm
 ° 75± 200mm
 200mm 200mm 200mm 200mm usb
 200mm 200mm 200mm 200mm
 200mm) 200mm x 200mm x 200mm 21.7 x 37.3 x 50 (200mm 200mm
 27 200mm
 200mm 200mm 200mm 200mm 200mm
 Max.Power 700mw
 200mm 200mm DC5V
 200mm Max.Curren 140ma
 90 200mmma 200mm
 45 200mm 200mmma
 //— - 200mm 200mm
 200mm 200mm
 200mm 200mm 200mm usb //— - 200mm
 1 200mm 200mm
 200mm 200mm
 200mm 200mm 200mm ° 200mm 200mm 60 ~ 200mm
 200mm 200mm 50 ~ 200mm 200mm 0 200mm 200mm 200mm
 %95 ~ 0 200mm 200mm
 200mm 1.5 200mm 200mm
 IP52 200mm 200mm 200mm

200mm:

CE RoHS EMC LVD ISO9001:2008 ISO14001:2004





