


YT-2002 pevné 2D čárového kódu, QR, skener čárového kódu PDF 417



Vlastnosti:

.Stylish a kompaktní design

.low nákladů a je vhodný pro supermarket a obchodní dům

.Support PDF 417, QR kód, Aztécký EKT 2D čárový kód

Vybudovat v 280 skenování za sekundu vysoký výkon COMS

Upevnit ho a hrát

SPECIFIKACE:

Optical Source	620nm Visible red light diode	
Imaging Sensor	COMS	
Resolution Ratio	30 million pixels	
Image Resolution	≥ 5mil	
Minimum Contrast	≥ 30%	
Barcode Types	1D CODE128 EAN-8 EAN-13 UPC-E UPC-A Interleaved 2 of 5 ITF14 MATRIX 25 Code39 Codabar Code93 UCC/EAN-128 Code11 ISBN INDUSTRIAL25 STANDARD25 Plessey MSI_Plessey 2D PDF417 QR Aztec DataMatrix Maxicode MicroPDF417 SPEC_OCR_B	
Barcode Sensitivity	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface Port	USB	
Mechanical and Electric Performance		
SIZE(Length x Width x Height)	165mm*60mm*85mm	
Net Weight	120g	
Indicator	Siren and LED light	
Max.Power	1405mw	
Working Voltage	5V	
Current	Max.Current	281mA
	Working Current	141mA~281mA
	Stand-by Current	141mA
Accessory		
Data Cable	USB (1.8M)	
Operation Manual	One	
Environmental Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height range	2M	
IP Rating	IP52	



