

# China Barcode-Laser portable Bluetooth Barcode-Scanner mit Speicher YT-890

## Yumite



## Description

Yumite

Yumite barcode Scanner

a.Exquisite und schönes Design. von weichem Gummi und interne wissenschaftliche externen geschützt

Erstarrungsstruktur. so seine Fallschutz besser als herkömmliche Scanner.

b.The neueste technische Errungenschaft ist mit dem Motor und Decodierungsfunktion angewendet, Lesen

Codes besser und schneller als die ähnlicher Art auf dem Markt.

c.Easy Verwendung. einfache Einstellung.

d.Large Kapazität, 1,5 Mal höher als gewöhnliche Scanner. sie garantiert verwenden längere Zeit nach voll aufgeladen.

## Feature

Yumite

- Unterstützt Standard-Bluetooth-Protokolle; Keine Umbauten oder Adapter benötigt;
- Barcode-Scannen mit USB2.0-Kabel Anschluss und Bluetooth Wireless-Verbindung möglich
- Das Gerät ist mit Tabletten, mobilen Geräten und mobilen Computern ausgestattet;

- Unterstützt Microsoft Windows XP / 7/8, Unterstützung iOS, Mac, Android, Smartphone, PDA und so weiter.
- "Check Mode" ist einfach und kann leicht verwendet werden, und kann Barcode storage500-10000
- Im Rahmen der "Normal Mode" Sendeabstand ist 20 ~ 50 m (abhängig von der Arbeitsumgebung).

**Specification**

**Yumite**

Para	Model	YT-890																		
<b>Image</b>																				
Image																				
<b>Performance Parameter</b>																				
Depth Filed	<table border="1"> <tr> <td>20mm</td> <td>EAN13(10mil,13bytes)</td> <td>250mm</td> </tr> <tr> <td>15mm</td> <td>code39(10mil,6bytes)</td> <td>260mm</td> </tr> <tr> <td>40mm</td> <td>code39(15.6mil,6bytes)</td> <td>350mm</td> </tr> <tr> <td>15mm</td> <td>code128(10mil,6bytes)</td> <td>270mm</td> </tr> <tr> <td>20mm</td> <td>code128(15.6mil,6bytes)</td> <td>330mm</td> </tr> <tr> <td>30mm</td> <td>EAN13(15.6mil,13bytes)</td> <td>360mm</td> </tr> </table>		20mm	EAN13(10mil,13bytes)	250mm	15mm	code39(10mil,6bytes)	260mm	40mm	code39(15.6mil,6bytes)	350mm	15mm	code128(10mil,6bytes)	270mm	20mm	code128(15.6mil,6bytes)	330mm	30mm	EAN13(15.6mil,13bytes)	360mm
20mm	EAN13(10mil,13bytes)	250mm																		
15mm	code39(10mil,6bytes)	260mm																		
40mm	code39(15.6mil,6bytes)	350mm																		
15mm	code128(10mil,6bytes)	270mm																		
20mm	code128(15.6mil,6bytes)	330mm																		
30mm	EAN13(15.6mil,13bytes)	360mm																		
Wireless Transmitting Distance (Without barrier)	15 - 20M																			
Infrared induction disrance	—																			
Optical Source	650nm Visible red light diode																			
Reading Precision	≥ 4mil																			
Minimum Contrast	≥ 30%																			
Decoding Capacity	UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvarnians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect.																			
Decoding Speed	100time/second																			
Barcode Sensitivity	Tilt	±65°																		
	Totate	±42°																		
	Deflection	±60°																		
Data interface	RJ-45																			
<b>Mechanical and Electric Performance</b>																				
Size(Length x Width x Height)	92.5×70×154.6 mm																			
Weight	168g																			
Indicator	Siren and LED light																			
Battery Capacity	600mah																			
Max. Power	350mw																			
Working Voltage	DC5V																			
Current	Max.Current	70ma																		
	Working Current	66ma																		
	Standby Current	45ma																		
	Sleeping Current	≤ 2ua																		
Charging Current	450ma																			
<b>Accessory List</b>																				
Data Cable	Micro USB																			
Wireless Receiver	—																			
CD	1																			
Operation Manual	1																			
Charge station	—																			
<b>Environmental Parameter</b>																				
Storage Temperature	-40°C ~ 60°C																			
Working Temperature	0°C ~ 50°C																			
Relative Humidity	0 ~ 95%																			
Height Range	1.5M																			
IP Rating	IP52																			
<b>Certification</b>																				
CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004																				

INGER CERTIFICATION ASSESSMENT SERVICES



### CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05  
 This is to certify the quality management systems of

**Shenzhen World Reputation Electronics Technology Co., LTD**

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008  
 Scope of approval  
**R&D, Production of Barcode Scanning Identification Equipment**

Signed by:  Approval Date: 26 Dec. 2014  
 Expiry Date: 25 Dec. 2017



Shenzhen Inger Certification Assessment Services Co., Ltd.  
 1. Certification and Assessment Administration  
 2. China England Accreditation Services Co., Ltd.  
 Tel: +86 755 23127676  
 Fax: +86 755 23127642  
 Web: www.inger.com.cn  
 Add: Room 602, Jiaoling Mansion, 12888 Xixiang Road, Xixiang St., Baoan District, Shenzhen, China, 518107

The certificate information can be checked on the CAS's website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.inger.com.cn or by calling CAS' client services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, so when it must be returned if the management systems of the certificate holder is approved not to be in conformity with the certificate standard.

INGER CERTIFICATION ASSESSMENT SERVICES



### CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 E1 0796 R05  
 This is to certify the environmental management systems of

**Shenzhen World Reputation Electronics Technology Co., LTD**

Organization code 30608924-7

Location 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004  
 Scope of approval  
**The Related Environmental Management Activities of R&D, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6E, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen**

Signed by:  Approval Date: 26 Dec. 2014  
 Expiry Date: 25 Dec. 2017



Shenzhen Inger Certification Assessment Services Co., Ltd.  
 1. Certification and Assessment Administration  
 2. China England Accreditation Services Co., Ltd.  
 Tel: +86 755 23127676  
 Fax: +86 755 23127642  
 Web: www.inger.com.cn  
 Add: Room 602, Jiaoling Mansion, 12888 Xixiang Road, Xixiang St., Baoan District, Shenzhen, China, 518107

The certificate information can be checked on the CAS's website: WWW.CAS.CN/CN. The validation of the certificate also can be obtained through www.inger.com.cn or by calling CAS' client services Dept. This certificate is only valid when used together with related permits unless appropriate. This certificate holder must successfully pass yearly periodical audits to maintain the validity of the certificate after the certificate approval date. The certificate retains the property of CAS, so when it must be returned if the management systems of the certificate holder is approved not to be in conformity with the certificate standard.



# Certificate of Compliance

Certificate Number: UN2014122403RC-3

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-  
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/95/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# RoHS



# EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

**Applicant** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Manufacturer** : Shenzhen World Reputation Electronics Technology Co., Ltd.  
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,  
Shilong Community, Shiyan, Bao'an District, Shenzhen

**Product** : Bar-code Scanner

**Trade Name** : Yumite

**M/N** : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,  
YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403ER-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-88130096 Fax: +86-755-88180138  
<http://www.untt.com.cn> E-mail: [info@untt.com.cn](mailto:info@untt.com.cn)



# CE



## Our factory

# Yumite

