Laser Long Range per Kabel 1d Handheld-Barcode-Scanner gelesen YT-760

Description

Wired Laser-Barcode-Scanner mit USB-Kabel-Scanner ist eine verdrahtete Laser Barcode-Scanner kann in verwendet werden Supermarkt, Logistik, Buchhandlung, Krankenhaus usw., mit einem Wort, wo es einen Barcode gibt es eine Wired Laser-Barcode-Scanner mit USB-Kabel-Scanner kann verwendet werden.

Function

Die Performance von wired Laser Barcode-Scanner sehr hoch ist, nicht nur eine schnellere Abtastgeschwindigkeit, sondern auch einen niedrigen Preis Kosten. der Scanner mit fester Schale, die aus 2 m Höhe, fallen gelassen werden kann gummiert. und es kann UPC / EAN / JAN, UPC / EAN mit Supplementals, Discrete 2 von 5 IATA, RSSvanrians, Codabar, chinese 2 of 5, Interleaved 2/5 usw. lesen

Specification

Mould Anzahl	YT760 Wired Laser-Barcode-Scanner
Technische Parameter	
Lichtquellen-Typ	Visuelle Laserdiode; die Wellenlänge ist 650mm.
Trigger Mode	Manul
Scanmodus	Single-Line-Scan-
Scangeschwindigkeit	100 ± 2 mal / s
Scan Precision	≥4mil
Druckkontrastverhältnis	Die niedrigste Reflektivität differece beträgt 30%.
Bit Error Rate	1/50 Mio.
Umwelt Luminance	3.000 bis 12.000 Lux
Tiefenschärfe	5mm-630mm
Scanwinkel	± 60 ° ± 65 ° ± 42 ° (links und rechts, vorne und hinten, Rotation)
Decodierkapazität	UPC / EAN / JAN, UPC / EAN mit Supplemental, UCC / EAN 128, Code 39, MSI, Code11, Code39 Full ASCII, Code 39 TriOptic, Code 128, Code 128Full ASCII, Codabar, Code93, Discrete2of5, IATA, RSSvariants, Codabar, Chinese2of5, Internationale allgemeinen dimensionale Barcodes, z.B. Inteleaved2 / 5, Interleaved2of5 und China-Postdienst Code
Elektrische Parameter	
Eingangsspannung	5VDC ± 0,25 V
Leistung	250mW (Arbeit): 325mW (momentane maximal)
Strom	50mA (Arbeit): 65mA (kurzzeitige maximale)
Bereitschaftsstrom	& Lt; 20 mA
Prompt-Modus	Summer und LED-Anzeige
Physikalische Parameter	
Übertragungskabelschnittstelle	USB
Dimension	L * W * H: 158mm * 68mm * 96mm
Gewicht	170g (ohne Kabel)
Cable Standard	Gerade, 1m
Schnittstellentyp	RJ-45 Kristall Kopf
Außenmaterial	ABS + PC
Umgebungsparameter	
Temperatur	0 ° C bis 50 ° C (Arbeit): - 40 ° C bis 60 ° C (Lagerung)
Antiklopfleistung	Dieses Produkt kann dennoch nach einem Sturz aus einer Höhe von 2 m richtig funktioniert

Certification



INGEER CERTIFICATION ASSESSMENT SERVICES

CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R0S

This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of
ISO9001:2008
Scope of approval

R&D, Production of Barcode Scanning Identification Equipment

Signed by:

Approval Date: 26 Dec. 2014
Expiry Date: 25 Dec. 2017

INGEER CERTIFICATION ASSESSMENT SERVICES

CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 E1 0796 R0S

This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of
GB/T24001-2004/ISO14001:2004
Scope of approval

The Related Environmental Management Activities of R&D, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

Signed by:

Approval Date: 26 Dec. 2014
Expiry Date: 25 Dec. 2017

Certificate of Compliance

Certificate Number: UNI2014122403RC-3

Applicant	:	**Shenzhen World Reputation Electronics Technology Co., Ltd.** 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
Manufacturer	:	**Shenzhen World Reputation Electronics Technology Co., Ltd.** 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
Product	:	**Bar-code Scanner**
Trade Name	:	**Yumite**
M/N	:	**YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX**

Test Standard: **IEC62321:2013**

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.

RoHS

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Honghualing Industrial Park,
Nanshan District, Shenzhen, PRC, 518055
Tel:+86-755-86180996 Fax:+86-755-86180156
http://www.uni-lab.hk E-mail:hoffertau@uni-lab.hk

EC-R&TTE Certificate

Certificate Number: UNI2014122403EC-1

Applicant	:	**Shenzhen World Reputation Electronics Technology Co., Ltd.** 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
Manufacturer	:	**Shenzhen World Reputation Electronics Technology Co., Ltd.** 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
Product	:	**Bar-code Scanner**
Trade Name	:	**Yumite**
M/N	:	**YT-1300, YT-860, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX**

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art.3.1(a)	Safety	EN60950-1	UNI2014122403SR-1	Pass
Art.3.1(b)	EMC	ETSI EN301 489-1/-3	UNI2014122403ER-1	Pass
Art.3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.
The scope of evaluation relates to the submitted documents only.

CE

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Honghualing Industrial Park,
Nanshan District, Shenzhen, PRC, 518055
Tel:+86-755-86180996 Fax:+86-755-86180156
http://www.uni-lab.hk E-mail:hoffertau@uni-lab.hk

Factory

Useage

Yumite