

# Optische Laser-Barcode-Scanner (USB) für Point of Sale, YT-760

## Description

**Yumite**

Freuen Sie sich auf die Genauigkeit der Laser kompakt, ergonomisch und erschwingliche design. This Laser Barcode-

Scanner verbinden hohe Leistung, Genauigkeit und Wert. Sie bieten Best-in-Class-Lösungen

für den Einzelhandel, Kasse, Büro, Light Industrial, Lagerhalle, Bibliotheken, Medizin, Rechtswesen Büro,



Regierung, Marketing und jede repetitiven Anwendung, wo Zeit und Genauigkeit kritisch sind

Faktoren bei der Unterstützung Unternehmen bei der Optimierung ihrer Workflow. Der USB ist mit MAC kompatibel

IOS und Windows.

## Specification

**Yumite**

Para	Model	YT-760
<b>Image</b>		
Image		
<b>Performance Parameter</b>		
Depth Filed		
Wireless Transmitting Distance (without barrier)	---	
Infrared Induction Distance	---	
Optical Source	650nm Visible red light diode	
Reading Percision	≥4mil	
Minimun Contrast	≥ 30%	
Decoding Capacity	UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect.	
Decoding Speed	100times/second	
Barcode Sensitivity	Tilt	±65°
	Rotate	±42°
	Deflection	±60°
Data Cable	RJ-45	
<b>Mechanical and Electric Parameter</b>		
Size(Length x Width x Height)	156×64×91 mm	
Weight	108g	
Indicator	Siren and LED light	
Battery Capacity	---	
Max.Power	450mw	
Working Voltage	DC5V	
Current	Max.Current	90ma
	Working Current	62ma
	Standby Current	71ma
	Sleeping Current	---
Charging current	450ma	
<b>Accessory List</b>		
Data Cable	Micro USB	
Wireless Receiver	---	
CD	---	
Operation Manual	1	
Charge Station	---	
<b>Environmental Parameter</b>		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	1.5	
IP Rating	IP52	
<b>Certification</b>		
CE, RoHS, EMC, LVD, ISO9001:2008, ISO14001:2004		



## Certificate of Compliance

Certificate Number: UN2014122403RC-3

<b>Applicant</b>	: Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
<b>Manufacturer</b>	: Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
<b>Product</b>	: Bar-code Scanner
<b>Trade Name</b>	: Yumite
<b>M/N</b>	: YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-86180996 Fax: +86-755-86180138  
<http://www.uni360.cn> E-mail: [info@uni360.cn](mailto:info@uni360.cn)



# RoHS





## EC-R&TTE Certificate

Certificate Number: UN2014122403EC-1

<b>Applicant</b>	: Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
<b>Manufacturer</b>	: Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shilong Community, Shiyan, Bao'an District, Shenzhen
<b>Product</b>	: Bar-code Scanner
<b>Trade Name</b>	: Yumite
<b>M/N</b>	: YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403SR-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.  
The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

**Shenzhen United Testing Technology Co., Ltd.**  
Room 317-319, Block 1, University Town Technology Park,  
5<sup>th</sup> Zone, South Section, Hongshuang Industrial Park,  
Nanshan District, Shenzhen, P.R.C. 518055  
Tel: +86-755-86180996 Fax: +86-755-86180138  
<http://www.uni360.cn> E-mail: [info@uni360.cn](mailto:info@uni360.cn)



# CE







