

USB-Barcode-Scanner - verkabelt CCD Barcodescanner YT-1001



Description

Yumite

Wired CCD Barcode-Scanner, Barcode-Leser ist YT-1001 in der Lage, Geschwindigkeit, Genauigkeit und Produktivität zu verbessern.

Die Scan-Engine verfügt über keine beweglichen Teile für jahrelangen zuverlässigen Betrieb. Lesen beliebiger 1D-Barcodes wie UPC, EAN, ASCII, MSI / PLESSEY, GS1 DataBar und mehr.

Einfach zu realisieren und zu handhaben, eine integrierte Tastatur Keil Decoder sendet gescannten Daten an eine aktive Anwendung, wo es scheint, als ob sie manuell eingegeben werden oder direkt in den Computer eingegeben.

Seine vielseitige schaltbare USB oder RS232-Kabel Schnittstelle integriert mit den meisten PCs, ohne eine externe Stromversorgung. Mit einer Abtastrate von 280-mal pro Sekunde und eine genaue Lesereichweite von bis zu 50 cm (20 in.), Bietet dieses Modell eine effektive und effiziente, Allzweck täglichen Scan-Lösung für weniger anspruchsvolle Point-of-Sale, Büro und andere geringem Umgebungslicht-Anwendungen, um die manuelle Dateneingabe, Geschwindigkeitsverkehr zu minimieren und Fehler zu reduzieren.

Feature

Yumite


Die Merkmale und niedrigeren Kosten machen diese verdrahtet CCD Barcode Scanner die beste Lösung für den Einzelhandel, medizinische und leichte industrielle Anwendungen. Nehmen Sie ein heute!

Die Yumite verdrahtete CCD Barcode-Scanner, Barcode-Lesegerät liefert grundlegende, hochwertige Scan für eine breite Palette von Datenerfassungsfunktionen zur Verbesserung der Routinegeschäften automatisiert papierbasierte Prozesse und steigern die Produktivität.

Holen Sie sich überragende optische Leistung mit einer Mindestauflösung und einer maximalen Leseabstand mit diesem Kontakt CCD Barcode-Scanner. Es verfügt über ein robustes und zuverlässiges Design und eine Plug & Play-USB-Schnittstelle. Es ist einfach zu installieren und zu verwenden.

Specification

Yumite

Para	Model	YT-1001
Image		
Image		
Performance Parameter		
Depth Filed		
Wireless Transmitting Distance (without barrier)	—	
Infrared induction distance	—	
Optical Source	620nm Visible red light diode	
Imaging Sensor	CCD	
Image Resolution	2500Pixel	
Reading Precision	≥ 5mil	
Minimum Contrast	≥ 30%	
Decoding Capacity	Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect.	
Decoding Speed	280times/second	
Barcode Sensitivity	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface	RJ-45	
Mechanical and Electric Performance		
Size(Length x Width x Height)	92.5×70×154.6 mm	
Weight	127g	
Indicator	Siren and LED light	
Battery Capacity	—	
Max.Power	650mw	
Working Voltage	DC5V	
Current	Max.Current	130ma
	Working Current	86ma
	Standby Current	42ma
	Sleeping current	—
Charging Current	—	
Accessory List		
Data Cable	Micro USB	
	RS232 Cable	
Wireless Receiver	—	
CD	—	
Operation Manual	1	
Charge Station	—	
Environment Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	2M	
IP Rating	IP52	
Certification		
CE RoHS EMC LVD, ISO9001:2008 ISO14001:2004		

The certificate information can be checked on the CMA website: WWW.CMA.GOV.CN. The validation of the certificate also can be obtained through www.biotrade.com.cn or by calling RCM clients between 9:00p.m. This certificate is only valid when used together with related permits when appropriate. This certificate holder must successfully pass yearly preclinical tests to maintain the validity of the certificate after the certificate approval date. The Certificate remains the property of RCM, to whom it must be returned if the management system of the certificate holder is assessed to fail to be in compliance with the ISO14001 standard.

The certificate information can be checked on the CNA's website WWW.CNA.ca/cna. The validation of the certificate can be obtained through www3.inec.com or by calling RCAF Finance Services Dept. This certificate is only valid when used together with related persons when appropriate. This certificate holds most automatically paid yearly professional credits to maintain the validity of the certificate after the certificate approval date. The Certificate retains the property of RCM, to which it must be returned if the management system of the certificate holder is approved to be in conformity with the certificate issued.



Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, PRC. 518055
Tel: +86-755-86180096 Fax: +86-755-86180136
<http://www.untt.com.cn> E-mail: info@untt.com.cn



RoHS



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403RR-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403RR-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403RR-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, PRC. 518055
Tel: +86-755-86180096 Fax: +86-755-86180136
<http://www.untt.com.cn> E-mail: info@untt.com.cn



CE

