YT-2002 verkabelt 2D Barcode-Leser, QR, PDF 417-Barcode-scanner



Merkmale:
.Stylish und kompaktes design

.lowcarbon Kosten und geeignet für Supermarkt und Einkaufszentrum

Unterstützen PDF 417, QR-Code, Aztec ect 2D-Barcode

...Bilden bei 280 Scans/SEK Hochleistungs COMS

.Plug und spielen

SPEZIFIKT.:

Optical Source		620nm Visible red light diode
Imaging Sensor		COMS
Resolution Ratio		30 million pixels
Image Resolution		⩾ 5mil
Minimum Contrast		⩾ 30%
Barcode Types		1D CODE128 EAN-8 EAN-13 UPC-E UPC-A Interleaved 2 of 5 ITF14 MATRIX 25 Code39 Codabar Code93 UCC/EAN-128 Code11 ISBN INDUSTRIAL25 STANDARD25 Plessey MSI_Plessey 2D PDF417 QR Aztec DataMatrix Maxicode MicroPDF417 SPEC_OCR_B
Barcode Sensitivi	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface Port		USB
Mechanical and Electric Performance		
SIZE(Length x Width x Height)		165mm*60mm*85mm
Net Weight		120g
Indicator		Siren and LED light
Max.Power		1405mw
Working Voltage		5V
Current	Max.Current	281mA
	Working Current	141mA～281mA
	Stand-by Current	141mA
Accessory		
Data Cable		USB（1.8M)
Operation Manual		One
Environmental Parameter		
Storage Temperature		-40°C ~ 60°C
Working Temperature		0°C ~ 50°C
Relative Humidity		0 ~ 95%
Height range		2M
IP Rating		IP52

Yumile