

YT-1101B de mano semiautomática sentido CCD del escáner de código de barras con el soporte

Description

Yumite

YT-1101B es de sentido semi-automática de códigos de barras CCD escáner cable que se puede poner en el estrado y se conecta con el punto de venta, cajeros automáticos, máquinas expendedoras de billetes y así sucesivamente.


Function

Yumite

el diseño de YT-1101B es muy humanizado. cuando desea el sentido de auto sólo tiene que pulsar el gatillo durante 10 segundos y después el escáner puede leer el código de barras de forma automática. También usted puede leer el código de barras para la operación manual. por lo que hay dos tipos de función que se puede elegir.

Specification

Yumite

Para	Model	YT-1101B
Image		
Image		
Performance Parameter		
Depth Filed		
Wireless Transmitting Distance (without barrier)	---	
Infrared induction distance	150 - 200mm	
Optical Source	620nm Visible red light diode	
Imaging Sensor	CCD	
Image Resolution	2500Pixel	
Reading Precision	≥ 5mil	
Minimum Contrast	≥ 30%	
Decoding Capacity	Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar,ect.	
Decoding Speed	280time/second	
Barcode Sensitivity	Tile	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface	RJ-45	
Mechanical and Electric Performance		
Size(Length x Width x Height)	92.5×70×154.6 mm	
Weight	140g	
Indicator	Visible red light diode	
Battery Capacity	---	
Max.Power	500mw	
Working Voltage	DC5V	
Working Voltage	Max.Current	100ma
	Working Current	89ma
	Standby Current	47ma
	Standby Current	---
Charging Current	---	
Charging Time	---	
A fully charged readable barcode	---	
Accessory List		
Data Cable	Micro USB RS232 Cable	
Wireless Receiver	---	
CD	---	
Operation Manual	1	
Charge Station	---	
Holder	1Set	
Environment Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	2M	
IP Rating	IP52	
Certification		
CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004		

