

alta calidad y velocidad de lectura rápida de imagen 1D CCD Barcode Scanner proveedor chino

Yumite



Description

Yumite

Con conexión de cable del escáner de código de barras CCD, lector de código de barras YT-1001 es capaz de mejorar la velocidad, la precisión y la productividad.

El motor de exploración cuenta con ninguna pieza móvil por años de servicio confiable para leer códigos de barras 1D populares incluyendo UPC, EAN, ASCII, MSI / PLESSEY, GS1 DataBar y más.

Fácil de implementar y fácil de usar, un decodificador de cuña teclado incorporado envía los datos escaneados a una aplicación activa donde aparece como si estuviera escrito manualmente o directamente tecléa en el ordenador.

Su interfaz versátil cable USB o RS232 conmutable se integra con la mayoría de los PCs sin una fuente de alimentación externa. Con una velocidad de barrido de 280 veces por segundo y un rango de lectura precisa de hasta 50 cm (20 pulg.), Este modelo ofrece una solución de lectura diaria eficaz y eficiente, de uso múltiple para menos exigente en el punto de venta, oficinas y otras aplicaciones de luz ambiente baja para minimizar la entrada manual de datos, transacciones de velocidad y reducir los errores.

Feature

Yumite



Las características y menor costo hacen de esta cableada CCD Barcode Scanner la mejor solución para minoristas, aplicaciones industriales médicas y de luz. Tome uno hoy!

El CCD cable del escáner de código de barras Yumite, lector de código de barras proporciona exploración básica y de alta calidad para una amplia gama de funciones de recopilación de datos para ayudar a mejorar las operaciones de rutina, automatizar los procesos basados en papel y aumentar la productividad.

Obtenga un rendimiento óptico superior con una resolución mínima y una distancia máxima de lectura con este contacto escáner de códigos de barras CCD. Cuenta con un diseño resistente y fiable y una interfaz USB plug and play. Es fácil de configurar y usar.

Specification

Yumite

Para	Model	YT-1001
Image		
Image		
Performance Parameter		
Depth Filed		
Wireless Transmitting Distance (without barrier)	—	
Infrared induction distance	—	
Optical Source	620nm Visible red light diode	
Imaging Sensor	CCD	
Image Resolution	2500Pixel	
Reading Precision	≥ 5mil	
Minimum Contrast	≥ 30%	
Decoding Capacity	Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect.	
Decoding Speed	280times/second	
Barcode Sensitivity	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface	RJ-45	
Mechanical and Electric Performance		
Size(Length x Width x Height)	92.5×70×154.6 mm	
Weight	127g	
Indicator	Siren and LED light	
Battery Capacity	—	
Max.Power	650mw	
Working Voltage	DC5V	
Current	Max.Current	130ma
	Working Current	86ma
	Standby Current	42ma
	Sleeping current	—
Charging Current	—	
Accessory List		
Data Cable	Micro USB RS232 Cable	
Wireless Receiver	—	
CD	—	
Operation Manual	1	
Charge Station	—	
Environment Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	2M	
IP Rating	IP52	
Certification		
CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004		



Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumita

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council
RoHS Directive 2011/95/EU. It is only valid in connection with the test report number:
UN2014122403RR-3.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



RoHS



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumita

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,
YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403ER-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance
with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the
compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



CE

