high speed 2.4GHZ Wireless Laser Barcode Reader with Optional Stand YT-860



Description



YT-860 is 2.4G Wireless Barcode Scanner China USB Laser Barcode Scanner. It has super wireless transmitting distance--300m(without barrier). It can be carried and used in warehouse, bookstore, logistic, supermarket, hospital and such harsh environment. It can used with a bracket/holder/stand to have continuous auto-scan.

Specification



Para	Model	YT-860	
		Image	
lmage			
		Performance Parameter	
Depth Filed		20mm EAN13(10mil,13bytes)250nn 15mn	
Wireless	Indoor	20-50M	
	Outdoor open	About300M	
	environment on distance		
Infrared induction distance Optical Source		650nm Visible red light diode	
Image Resolution		≥4mil	
Minimum Contrast Decoding Capacity		≥ 30% UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code,ect.	
Decoding Speed		100times/second	
Barcode	Tilt Rotate	±65° ±42°	
Sensitivity	Deflection	±60°	
Data Interface		RJ-45	
Cino/I1	Vielth v. I I=i=E-1	Mechanical and Electric Performance	
Size(Length x W Weight	vidui x rieignt)	92.5×70×154.6 mm 166g	
Veight ndicator		Siren and LED light	
Battery Capacity	y	600mah	
Max.Power	· · ·	350mw	
Working Voltage	e Max.Current	DC5V 70ma	
	Working Current	70ma 65ma	
Current	Standbu Current	43ma	
Charging Curre	Sleeping Current nt	≤ 4ua 450ma	
arging June		Accessory	
ata cable		Micro USB	
Data cable		 2.4GHZ	
	ver	N -3-1- 0	
Wireless Receiv	NOTO:	10-10-10-10-10-10-10-10-10-10-10-10-10-1	
Wireless Receiv CD Operation Manu	NOTO:	1	
Wireless Receiv CD Operation Manu	NOTO:	8 -3- 8	
Wireless Received CD Operation Manu Charge station Storage Temper	ıal	Environmental Parameter -40°C ~ 60°C	
Charge station Storage Temper Working Tempe	rature erature	Environmental Parameter -40°C ~ 60°C 0°C ~ 50°C	
Wireless Received CD Operation Manu Charge station Storage Temper Working Temper Relative Humidi	rature erature	Environmental Parameter -40°C ~ 60°C 0°C ~ 50°C 0 ~ 95%	
Wireless Received CD Operation Manu Charge station Storage Temper Working Temper Relative Humidi Height Range	rature erature	Environmental Parameter -40°C ~ 60°C 0°C ~ 50°C	
Wireless Received CD Operation Manu Charge station Storage Temper Working Temper	rature erature ity	Environmental Parameter -40°C ~ 60°C 0°C ~ 50°C 0 ~ 95% 1.5M	



CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification Equipment

Signed by:







CERTIFICATE OF REGISTRATION

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Technology Co., LTD Located in 6£ Xingqiang Commercial Manason, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoun District, Shenzhen

Signed by:







Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Sherathen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingsieng Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bear an District, Sherathen Sherathen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingsiang Business Building, No.1, Dezheng Road, Shilong Community, Shiyan, Bac'an District, Sherathen Bar-code Scanner

YUMBB YT-1000, YT-760A, YT-760B, YT-41200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Drective 2011/95/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.





Sherzhen United Testing Technology Co., Ltd. Room 177-319, Block 1, University Tree Technology Park. 57-20m. South Rection, Fronty Tree Technology Park. Namelson Destrict. Breaches. PRC 315095 164-40-753-86 https://doi.org/10.1516/10.1516/ 164-40-753-86 https://doi.org/10.1516/









EC-R&TTE Certificate

Certificate Number: UNIZEL4122403EC-1

Applicant

Y1-1300, YT-850, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art 3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 480-1/-3	UNI2014122403ER-1	Pass
Att.3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

with the council #ATTE directive 90/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

Date of issue



Shenzhen United Testing Technology Co., Ltd.
Roses 317-319. Block 1. University Toes Technology Park.
97-20ne, Social Section, Hongranising Industrial Park.
Nasionan Darest Shenzhen, PRC 518091
106 - 987-556-660000 Fax-6156-66160118
106 University Section Section Section Section Sec





Our factory





Application Yumite

