

General Settings:



Enter Into Setting



Factory Default



Exit Setting



Suffix + CR



Suffix+LF



Suffix+LF+CR



Suffix + Tab



Clean Suffix



Mute



Low volume



Medium volume



High volume



Version



Battery Level

Wireless pairing settings (2.4G mode)



Enter Into Setting



2.4G Mode



Paring

Scan the above three setting codes one by one, Then the green light on the back of the scanner will flash continuously, you need to re-plug the receiver, the green light is off, the blue light is always on, then scan the following □Exit setting mode □Set the code to complete the pairing.



Exit Setting

Wireless pairing settings (Bluetooth mode)

1. Press and hold the scanner button for about 8 seconds. After hearing the sound of the scanner, release

the button, the blue indicator light on the back of the scanner flashes continuously, and the scanner enters the Bluetooth search mode.

2. Open the mobile phone, ipad and other terminal devices Bluetooth, search for Bluetooth and pair (the Bluetooth name is: BarCoed Scanner HID), after the connection is successful, the scanner will sound once, the blue indicator light is always on, the connection is successful.



Bluetooth HID Mode



Bluetooth SPP Mode



Bluetooth BLE Mode



Enable double click show/Hide Keyboard



Scan Mode setting:



Normal Mode



Storage Mode



Upload Data



Show Total Storage



Zero Clearing

Scan Mode Setting



Trigger Mode



Continue Scan Mode



Auto Sense Mode

Standby Setup



30s Standby



1 Minute Standby



2Minutes Standby



5Minutes Standby



10 Minutes Standby



30 Minutes Standby



Never Standby



Standby Immediately

