

High speed 2.4G Wireless USB Automatic Laser Barcode Scanner with mini USB YT-860





Description

One of 2.4G Barcode Scanner,we with high speed and long transmitting distance.

1. Wireless Barcode Scanner
2. 2.4G wireless laser barcode scanner
3. Laser barcode scanner With mini USB
4. OEM and ODM service supported
5. One to One to pair,one scanner to one usb receiver
6. Check mode
7. Automatic Laser Barcode Scanner

Specification

| Para | Model | YT-860 |
|---|--|-----------|
| Image | | |
| Image |  | |
| Performance Parameter | | |
| Depth Filed |  | |
| Wireless Transmitting Distance | Indoor | 20-50M |
| | Outdoor open environment | About300M |
| Infrared induction distance | --- | |
| Optical Source | 650nm Visible red light diode | |
| Image Resolution | ≥4mil | |
| Minimum Contrast | ≥ 30% | |
| Decoding Capacity | UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvarnrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect. | |
| Decoding Speed | 100times/second | |
| Barcode Sensitivity | Tilt | ±65° |
| | Rotate | ±42° |
| | Deflection | ±60° |
| Data Interface | RJ-45 | |
| Mechanical and Electric Performance | | |
| Size(Length x Width x Height) | 92.5×70×154.6 mm | |
| Weight | 166g | |
| Indicator | Siren and LED light | |
| Battery Capacity | 600mah | |
| Max.Power | 350mw | |
| Working Voltage | DC5V | |
| Current | Max.Current | 70ma |
| | Working Current | 65ma |
| | Standbu Current | 43ma |
| | Sleeping Current | ≤ 4ua |
| Charging Current | 450ma | |
| Accessory | | |
| Data cable | Micro USB | |
| Wireless Receiver | 2.4GHZ | |
| CD | --- | |
| Operation Manual | 1 | |
| Charge station | --- | |
| Environmental Parameter | | |
| Storage Temperature | -40°C ~ 60°C | |
| Working Temperature | 0°C ~ 50°C | |
| Relative Humidity | 0 ~ 95% | |
| Height Range | 1.5M | |
| IP Rating | IP52 | |
| Certification | | |
| CE, RoHS, EMC, LVD, ISO9001:2008, ISO14001:2004 | | |



Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council
RoHS Directive 2011/95/EU. It is only valid in connection with the test report number:
UN2014122403RR-3.

2014-12-24
Date of issue



RoHS



Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130696 Fax: +86-755-88180138
<http://www.lni.com.cn> E-mail: info@lnt.com.cn



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,
YT-2500, YT-XXXX

| Essential requirement | Applied Specifications/Standards | Documentary Evidence | Result |
|-----------------------|----------------------------------|----------------------|--------|
| Art.3.1(a) Health | Not assessed | | |
| Art.3.1(a) Safety | EN60950-1 | UN2014122403SR-1 | Pass |
| Art.3.1(b) EMC | ETSI EN301 489-11/3 | UN2014122403ER-1 | Pass |
| Art.3.2 Radio | ETSI EN300 440 | UN2014122403ER-2 | Pass |

The EUT described above has been tested by us with the listed standards and found in compliance
with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the
compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24
Date of issue



CE



Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130696 Fax: +86-755-88180138
<http://www.lni.com.cn> E-mail: info@lnt.com.cn



Useage





Factory



企业文化 Corporate culture

企业愿景 Corporate vision

成为一家深受社会尊敬的企业
To be one well-beloved enterprise by our society.

企业价值 Corporate value

以科技创新优化人类生活品质
To optimize the life quality for human being by our technical innovation.

企业理念 Corporate philosophy

执行高效团结，坚持拼搏共赢
To carry out efficient unity, insist struggle and win-win.

企业品格 Corporate moral

责任、忠诚、感恩、分享
Responsible, loyal, grateful and share.

企业精神 Corporate spirit

历经千辛万苦
Go through innumerable trials and hardships.