

Laser Long Range wired 1d Handheld barcode read scanner YT-760

Description



Wired laser barcode scanner with USB cable scanner is a wired laser barcode scanner can be used in supermarket, logistic , bookstore,hospital etc, in a word where there is a barcode there is a Wired laser barcode scanner with USB cable scanner can be used.

Function



The performance of wired laser barcode scanner is very high, not only with faster scanning speed but also have low price cost . the scanner is rubberized with solid shell which can be dropped from 2m high place. and it can read UPC/EAN/JAN,UPC/EAN with supplementals, Discrete 2 of 5 IATA,RSSvariants,Codabar,chinese 2 of 5,Interleaved 2/5 etc.

Specification



Mould Number	YT760	Wired laser barcode scanner
Technical parameter		
Light Source Type	Visual lasing diode;the wave length is 650mm.	
Trigger Mode	Manul	
Scanning Mode	Single-line scanning	
Scanning Speed	100±2 times/s	
Scan Precision	≥4mil	
Printing Contrast Ratio	The lowest reflectivity differece is 30%.	
Bit Error Rate	1/50 million	
Environment Luminance	3000-12000 Lux	
Depth of field	5mm-630mm	
Scanning Angle	±60°±65°±42° (Left and right, front and back, rotation)	
Decoding capacity	UPC/EAN/JAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, MSI,	
	Code11, Code 39 Full ASCII, Code 39 TriOptic, Code 128, Code 128Full ASCII,	
	Codabar, Code93, Discrete2of5, IATA, RSSvariants, Codabar, Chinese2of5,	
	International general dimensional barcodes, e.g. Inteleaved2/5, Interleaved2of5 and China postal sevice code	
Electical parameter		

Input voltage	5VDC±0.25V
Power	250mW(work): 325mW(momentary maximum)
Current	50mA(work): 65mA(momentary maximum)
Standby Current	<20mA
Prompt Mode	Buzzer and LED indicator
Physical parameter	
Transfer cable interface	USB
Dimension	L*W*H: 158mm*68mm*96mm
Weight	170g(excluding cables)
Cable standard	Straight line,1m
Interface type	RJ-45 crystal head
Outside material	ABS+PC
Environment parameter	
Temperature	0°C to 50°C(work):-40°C to 60°C(storage)
Anti-knock capacity	This product can still work properly after falling from the height of 2m

Certification

Yumite





Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number: UN2014122403RR-3.

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongqiang Industrial Park,
Nanshan District, Shenzhen, PRC. 518055
Tel: +86-755-86180096 Fax: +86-755-86180136
<http://www.untt.com.cn> E-mail: info@untt.com.cn



RoHS



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyao, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumite

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403SR-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24
Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongqiang Industrial Park,
Nanshan District, Shenzhen, PRC. 518055
Tel: +86-755-86180096 Fax: +86-755-86180136
<http://www.untt.com.cn> E-mail: info@untt.com.cn



CE



Our factory

Yumite



Application

Yumite



Yumite