YT-760A USB Laser Barcode Scanner Auto-scan on the stand/holder/bracket



Description



Class 1 Laser Barcode Scanner Auto-scan built in works when it is on the stand/holder/bracket High scanning speed Wider scanning field 32 bit embedded ARM CPU Compact size High end laser scan performance

Specification



| Para Model | | YT-760A | | | | |
|---------------------------------------|----------------------|--|--|--|--|--|
| | | Image | | | | |
| Image | | | | | | |
| | | Performance Parameter | | | | |
| Depth Filed | | 20mm 45* 20mm EAN13(10mil,13loytes)250mm 15mn coole39(10mil,6loytes)260mm 40mn coole39(15.6mil,6loytes)350mm 15mn coole28(15.6mil,6loytes)350mm 15mn coole128(15.6mil,6loytes)350mm 20mm coole128(15.6mil,6loytes)330mm 20mm coole128(15.6mil,6loytes)30mm 20mm coole128(15.6mil,6loytes)30mm 20mm coole128(15.6mil,6loytes)30mm 20mm coole128(15.6mil,6loytes)30mm 20mm 0 0 100 200 300 | | | | |
| | smitting Distance | | | | | |
| (without barrie | | 450, 200 | | | | |
| Infrared induct Optical Source | | 150 - 200mm 650nm Visible red light diode | | | | |
| Reading Percision | | ≥4mil | | | | |
| Minimum Contrast Decoding Capacity | | ≥ 30% UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect. | | | | |
| Decoding Speed | | 100times/second | | | | |
| Barcode | Tilt | ±65° ±42° | | | | |
| Sensitivity | Rotate Deflection | ±42 ⁻ ±60° | | | | |
| Data Interface | | RJ-45 | | | | |
| | | Mechanical and Electric Parameter | | | | |
| | Width x Height) | 92.5×70×154.6 mm | | | | |
| Weight | | 148g | | | | |
| Indicator | | Siren and LED light | | | | |
| Battery Capac | ity | | | | | |
| Max.Power Working Volta | | 500mw DC5V | | | | |
| working voitag | Max.Current | 100ma | | | | |
| Current | Working Current | 97ma | | | | |
| ounent | Standby Curent | 77ma | | | | |
| Charging Curr | Sleeping Current | 450ma | | | | |
| and out | | Accessory List | | | | |
| Data Cable | | Mirco USB | | | | |
| Wireless Receiver | | | | | | |
| CD | | | | | | |
| Operation Manual | | 1 | | | | |
| Charge Statior Holder | 1 | 1Set | | | | |
| Toluel | | Environmental Parameter | | | | |
| Storage Temp | | -40°C ~ 60°C | | | | |
| Working Temperature | | 0°C ~ 50°C | | | | |
| Relative Humidity Heigth Range | | 0 ~ 95% 1.5M | | | | |
| Heigth Range IP Rating | | I.5M IP52 | | | | |
| | | Certification | | | | |
| | CE | RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004 | | | | |

Certification



| LN | | | | | |
|---|--|--|----------------------------------|----------------------|---------|
| Certificate | 8 | EC | -R&TTE C | Certificat | e |
| Of Compliance Certificate Number: UNIXETAIZABLEC.3 Applicant Spling Community, Shyan, Backan District, Shenneng, No.1, Destheng Road, Spling Community, Shyan, Backan District, Shenneng Manufacturer Shenchen World Reputation (Bechronices Technology Co., List, Of, Bludding, B. Ares, Krigglaing Business Building, No.1, Destheng Road, Shlong Community, Bhyan, Backan District, Shenneng Product Ear-oode Scanner Trade Name Youtis | Certificate Number: EN2201412 Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd. 6 ⁵ , B Building, B Area, Xroglang Business Building, No. 1, Dezheng R Shitong Community, Shiyan, Bao'an District, Shenzhen Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd. 6 ⁷ , B Building, B Area, Xroglang Business Building, No. 1, Dezheng R Shitong Community, Shiyan, Bao'an District, Shenzhen Product : Bar-code Seamer Trade Name : Yumite M/N : YT-1300, YT-480, YT-1200, YT-1400, YT-1500, YT-2200, YT-2200, YT YT-2500, YT-XXXX | | | | |
| MIN YT-1000, YT-760, YT-760A, YT-760B, YT-4100A, YT-1100B, YT-1100B, YT- M300, YT-2000, YT-2100A, YT-2100B, YT-44400, YT-XXXX | Essential re | quirement | Appled Specifications/Standards | Documentary Evidence | R |
| nana ang kanya nan | A13.1(A) | Heath | Not assessed | | |
| Test Standard: IEC62321:2013 | A1.3.1(#) | Safety | EN60950-1 | UNI20141224035R-1 | P |
| The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the teal report number: UNI2014122405/R8-3. | Art.3.1(b) EMC ETBI EN301 480-11-3 UN2014122403ER-1 Pa Art.3.2 Radie ETBI EN300 440 UNI2014122403ER-2 Pa The EUT described above has been tested by us with the lated standards and found in compliance with this Directive Directive SPI5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive. The scope of evaluation relates to the submitted documents only. | | | | |
| 2014-12-24 Date of name Date Standard Standard Sectors Front Sectors Park, 19-253-801, November 12, 19-25 The House Sectors Front Sectors Park, 19-253-801, November 12, 19-25 19-253-801, 19-25 | Room 217-319 5° Zone, South Nanshan Diete Tei +98-756-80 | Divited Tes Block 1. Gro Section. Hor 5. Sherichen. 182090 Far | entry Tour Technology Co., Litt. | C | e 器器 |

Our factory



