Wired Handheld Laser Barcode Reader YT-760



Description



Wired USB laser barcode scanner new digit decoding technology with faster speed YT-763 is a wired laser barcode scanner can be used in supermarket, logistic, bookstore, hospital etc. In a word where there is a barcode there is a wired laser barcode scanner with USB cable scanner can be used.

The scanner is rubberized with solid shell which can be dropped from 2m high place. And it can read UPC/EAN/JAN,UPC/EAN with supple mentals, Discrete 2 of 5 IATA, RSSvanrians, Codabar, chinese 2 of 5,Interleaved 2/5 etc.

Feature

1. A new generation of digital laser technology with faster scanning speed.

- 2. Powerful error correction capability
- 3. Soft and hard plastic drop protection
- 4. Performance comparable to LS2208

Specification





Light Source Type	Visual lasing diode; the wave length is 650mm.	
Trigger Mode	Manul	
Scanning Mode	Single-line scanning	
Scanning speed	100±2 times /s	
Resolution	≥4mil	
Printing Contrast Ratio	The lowest reflectivity difference is 30%.	
Bit error rate	1/50 million	
Input voltage	5VDC±0.25V	
Power	250mW (Work): 325mW (momentary maximum)	
Current	50mA (Work): 65mA (momentary maximum)	
Standby current	<20mA	
Light intensity	3000-12000Lux	
Depth of field	5mm-630mm	
Scanning angle	±60°±65°±42° (Left and right, front and back, rotation)	

	UPC/EAN/JAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, MSI, Code11		
Decoding capacity	Code 39 Full ASCII, Code 39 TriOptic, Code 128, Code 128Full ASCII		
	Codabar, Code93, Discrete2of5, IATA, RSSvariants, Codabar, Chinese2of5,		
	International general dimensional barcodes, e.g. Inteleaved2/5, Interleaved2of5 and China postal service code		
Prompt mode	Buzzer and LED indicator		
Cable interface	USB (standard): PS/2 and RS232 are selectable.		
External dimensions	L*W*H: 158mm*68mm*96mm		
Weight	170g (excluding cables)		
Cable standard	Straight line,1.8m		
Interface type	RJ-45 crystal head		
Hull material	ABS+PC		
Temperature	0°C to 50°C (Work): -40°C to 60°C (storage)		
Setting mode	Manual (scanning and setting barcodes according to the sequence)		
Safety Regulations	Laser safety class: EN60825-1, Class 1, state level-I laser safety standard		
	EMC: EN55022,EN55024		
	Electrical safety: EN60950-1		
	Packaging level: IP52		
	Anti-seismic capacity: This product can still work properly after falling down and being impacted on the concrete floor from the height of 3m for many times.		

Certification





CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification

Signed by:







CERTIFICATE OF REGISTRATION

Certificate No. . 117 14 €1 0796 ROS This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6f, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001--2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Bechaology Co., UTO Located in 6£ Xingqlang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Booan District, Shenzhen

Signed by:









Certificate Compliance

Certificate Number: UNIZ014123403BC-3

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Buiding, B Area, Xingolang Business Buiding, No.1, Dezheng Road,
Shilong Community, Shyan, Baer an District, Shenzhen
Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Buiding, B Area, Xingolang Business Buiding, No.1, Dezheng Road,
Shilong Community, Shyan, Baer an District, Shenzhen
Bar-code Scanner
Yumits
71-1500, YT-750, YT-750A, YT-750B, YT-M200, YT-1100A, YT-1100B, YTM300, YT-2009, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council Rol-til Directive 2011/85/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.











EC-R&TTE Certificate

Certificate Number: UNIQUALIZABREC-8

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Suilding, B Area. Xingolang Business Building, No.1, Dezheng Road,
Shlong Community, Shiyan, Bad-an District, Shenzhen,
Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Suilding, B Area. Xingolang Business Building, No.1, Dezheng Road.
Shlong Community, Shiyan, Bad an District, Shenzhen
Y-Response Technology Co., Ltd.
9F. B Suilding, Shiyan, Bad an District, Shenzhen
Y-Y-1200, YT-2200, YT-2400, YT-2500, YT-2200, YT-2400, YT-2500, YT-XXXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art 3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETS/ EN301 489-1/-3	UNI2014122403ER-1	Pass
A432	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in cor-with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24





enzhen United Testing Technology Co., Ltd. Room 317-319, Block 1, University Town Technolog 5° Zone, South Section, Honghusing Industrial Park Nanishan District, Shersther, PRC 518050 Ser +86-756-80180990. Fax +86-755-86180138



Our factory



