

Yumite YT-M200 portable mini barcode scan engine, laser barcode reader module scanner

Infrared induction distance 150 - 200mm

Optical Source 650nm Visible red light diode

Image Resolution $\geq 4\text{mil}$

Minimum Contrast $\geq 30\%$

Barcode Types "UPC/EAN/JAN,UPC/EAN with supplementals□

UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII,

Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93,

Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5,

Interleaved 2 of 5, International general dimensional barcodes□"

Decoding Speed 100times/s

Barcode Sensitivity Tilt $\pm 65^\circ$

Rotate $\pm 42^\circ$

Deflection $\pm 60^\circ$

Data Interface Port USB

Mechanical and Electric Performance

Size(Length x Width x Height) 70.3×50×22.4 mm

Weight (except cable) 51g

Indicator Siren and LED light

Max.Power mw

Working Voltage DC5V

Current Max.Curren 95ma

Working Current 93ma

Stand-by Current 47ma

Charging Current 450ma

Accessory List

Data line USB data line(1.5m)

micro USB data line(0.8m)

RS232 data line(1.8m)

Operation Manual 1Piece

Environmental Parameter

Storage Temperature $-40^\circ\text{C} \sim 60^\circ\text{C}$

Working Temperature $0^\circ\text{C} \sim 50^\circ\text{C}$

Relative Humidity 0 ~ 95%

Height Range 1.5m

IP Rating IP52

Certificates:

CE,RoHS,EMC,LVD□ISO9001:2008□ISO14001:2004



CAUTION
LASER LIGHT

* DO NOT STARE INTO
BEAM.


MADE IN CHINA






MADE IN CHINA

CAUTION
*DO NOT STAPLE
HERE!



CAUTION
LASER LIGHT
* DO NOT STARE INTO
BEAM.

MADE IN CHINA



CAUTION
LASER LIGHT
* DO NOT STARE INTO
BEAM.

MADE IN CHINA

Yumite



