### Black Rugged Industrial Bluetooth Wireless 2d Barcode Scanner Qr Bar Code Reader, support Ios, android Windows Device



## Description

Yumite

2016 Hot new release Yumite's bluetooth bar code scanner with lots of system compatibilities.

### **Function**



- Yumite: Supports standard Bluetooth protocol, no software or adapters needed, simply connect and start scanning;
- Wireless Bluetooth connection lets you walk around without any cables ; wont scan time settings or the volume codes
- 512 KB internal memory supports up to thounds barcodes in inventory mode when not connected, you can upload the data to your device anytime when you need;
- Compatible Operating Systems: Supports Windows XP/7/8, Android 4.0 Above, iOS, Mac OS, Mobile6/Wince; works with computer, smartphone, tablet and mobile PDA
- Bluetooth adapter available for the PC user, allows any computer/Laptop with a USB port to become a Bluetooth enabled computer.

# Specification



Para	Model	YT-2400 2D Bluetooth Barcode Reader		
		Picture		
Product Picture		Picture		
		Performance Parameter		
Depth Filed		CAUSING   Silver   Silver		
Wireless Transmitting		15 - 20m		
Optical Source		620nm Visible red light diode		
Imaging Sensor		CMOS(Image)		
Resolution Ratio		752×480		
Image Resolution	100 N	> 5mil		
	Code 39	40mm -280mm(10mil); 85mm~325mm(15mil)		
Reading Depth	PDF417	60mm - 225mm(10mil); 60mm~340mm(15mil)		
	Data Matrix	20mm -155mm(10mil); 35mm~235mm(15mil)		
Minimum Contra	QR Code	35mm -150mm(10mil); 20mm~230mm(15mil) ≥ 30%		
Millimium Conda	2D	PDF417, QR Code(Model 1/2),micro QR,		
Barcode Types	1D	Code128, EAN-13, EAN-8, Code39, UPC-A, UPC-E, Codabar, Interleaved		
Decoding Speed		300times/s		
	Tilt	±55°		
Barcode	Rotate	±25°		
Sensitivity	Deflection	±55°		
Data Interface Po	1500 C010 C400 C410 C00	RJ45		
		Mechanical and Electric Performance		
Size(Length x Wi	dth x Height)	92.5×70×154.6 mm		
Weight		155g		
Indicator		Siren and LED light		
Battery Capacity		500mah		
Max.Power		1092mw		
Working Voltage		DC5V		
Current	Max.Current	260ma		
	Working Current	79-260ma		
	Stand-by Current	79ma		
	Sleeping Current	≤ 2ua		
Charging Current		450ma		
Charging Time	111	3,5hrs		
Full Charged read	a parcode	≥ 100,000 times		
Data Line		Accessory List		
Receiver		USB Data Line (1M) 1Piece		
Drive CD		1Piece		
Operation Manua	1	1Piece		
Operation Mailla	44.0	Environmental Parameter		
Storage Temperature		-40°C ~ 60°C		
Working Temperature		0°C ~ 50°C		
Relative Humidity		0~95%		
Height Range		1,5m		
IP Rating		IP52		
-5		Certificates		
-	CE.Rol	HS,EMC,LVD, ISO9001:2008, ISO14001:2004		
-				





# Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqieng Business Building, No.1, Dezheng Road,
Shlong Community, Shiyan, Bara an District, Shenzhen
Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shlong Community, Shiyan, Baran District, Shenzhen
Bar-code Scanner

YUMBE YT-1000, YT-760, YT-7608, YT-7608, YT-4K200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX


Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number. UNI2014122403RR-3.



RoHS

2014-12-24







### **EC-R&TTE** Certificate

Gertificate Number: UNI2014122403EC-1

Applicant

Shenzhen World Reputation Electronics Technology Co., Ltd. 65; 8 Building, 8 Area, Xingpiang Business Building, No. 1, Dezheng Road, Shlong Community; Shyan, Bao'an District Shenzhen
 Shenzhen World Reputation Electronics Technology Co., Ltd. 6F; 8 Building, 8 Area, Xingpiang Business Building, No. 1, Dezheng Road, Shlong Community, Shiyan, Seo'an District, Shenzhen
 Bar-code Scanner

Yumite: YT-1300, YT-860, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art 3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 489-1/-3	UNI2014122403ER-1	Pass
Atl3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in complian with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

Shenzhen United Testing Technology Ruses 317-316, Black 1, University Tour Technology 37-2me, South Section, Hongrousing Industrial Park Hassinan District, Shenzhen, PRC, 516005 14 x 180, 755-80 (2009). Fax 180, 755-80 (2019). Carl January 190, 191





#### CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification

Signed by:



#### CERTIFICATE OF REGISTRATION

Certificate No. 117 14 €1 0796 ROS This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6f, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Bechnology Co., LTD Located in 68, Xingqiang Commercial Manason, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Booun District, Shenzhen

Signed by:






**Our factory** 













**Application** 

**Yumite** 







