Yumite YT-860 2.4G Wireless Laser Barcode Scanner with Auto-sense





YT-860 is 2.4G china barcode laser portable wireless barcode scanner with memory . It has super wireless transmitting distance--300m(without barrier). It can be carried and used in warehouse, bookstore, logistic, supermarket, hospital and so on.



2.4G wireless technology and laser solution

Soft and hard rubbers protect the lens and greatly enhances the anti-drop performance

Easy using, easy setting

Large capacity 512K, equal to save more than 10000 bar codes

Continues Working for 8 hours

32 digits decoding chips for faster speed and lowest error rate

Supporting more than 24 countries keyboard languages output

With mini USB receiver, plug and play

No-Losing Mode and Inventory Mode

Supporting Windows and Mac OS system




Specification

Wireless	Indoor	20-50M		
Transmitting Distance	Outdoor open environment	About300M		
Infrared inductio	n distance			
Optical Source		650nm Visible red light diode		
Image Resolution		≥4mil		
Minimum Contra	st	≥ 30%		
Decoding Capacity		UPC/EAN/JAN,UPC/EAN with supplementals UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code, ect.		
Decoding Speed		100times/second		
Dancada	Tilt	±65°		
Barcode Sensitivity	Rotate	±42°		
Selisitivity	Deflection	±60°		
Data Interface		RJ-45		
	Me	echanical and Electric Performance		
Size(Length x Wi	dth x Height)	92.5×70×154.6 mm		
Weight		166g		
Indicator		Siren and LED light		
Battery Capacity		600mah		
Max.Power		350mw		
Working Voltage		DC5V		
	Max.Current	70ma		
Current	Working Current	65ma		
	Standbu Current	43ma		
	Sleeping Current	≤ 4ua		
Charging Curren	t	450ma		
		Accessory		
Data cable		Micro USB		
Wireless Receiver		 2.4GHZ		
CD				
Operation Manua	al	1		
Charge station				
		Environmental Parameter		

Storage Temperature	-40°C ~ 60°C
Working Temperature	0°C ~ 50°C
Relative Humidity	0 ~ 95%
Height Range	1.5M
IP Rating	IP52
	Certification
CE, RoHS,	EMC, LVD, ISO9001:2008, ISO14001:2004



Certification







Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Applicant

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, Bibuiking, Bi Area, Xingqiang Business Buiking, No.1, Dezheng Road,
Shitong Community, Shiyan, Barain District, Shenzhen
Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, Bibuiking, Bi Area, Xingqiang Business Buiking, No.1, Dezheng Road,
Shitong Community, Shiyan, Barian District, Shenzhen
Bar-code Scanner

YUMBB YT-1000, YT-760A, YT-760B, YT-41200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Drective 2011/95/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.

2014-12-24



Sherizhen United Testing Technology Co., Ltd. Room 177-316, Block 1, University Toer Technology Park. 197-20ms. South Section, University Toer Technology Park. Namiyam Diserct. Strendmen. PRC. 516098 Tuk-190-318-8110



RoHS



EC-R&TTE Certificate

Certificate Number: UNIZEL4122403EC-1

Applicant

Shenzhen World Reputation Electronics Technology Co., Ltd.
5F. B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shiriong Community, Shiyan, Bao an District, Shenzhen Shenzhen World Reputations Electronics Technology Co., Ltd.
6F. B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shiriong Community, Shiyan, Bao an District, Shenzhen Bar-code Scanner
Vivorite

Yumits YT-1300, YT-880, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art.3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 489-1/-3	UNI2014122403ER-1	Pass
At132	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in complice with the council RATTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd. Bloom 217-216 Blook 1. University Team Technology 5" Zone, South Section, Honghusing Industrial Park, Nanchan District, Shenchen, PHC 518059 Na - 98, 756-80100000 Fax +96, 755-98 (2013) Emily Johns and 90 Jac. Section 18







