high quality and fast reading speed 1D Image CCD Barcode Scanner chinese supplier



Description



Wired CCD barcode scanner, barcode

reader YT-1001 is able to improve speed, accuracy and productivity.

The scan engine features no moving parts for years of reliable service reading popular 1D ba rcodes including UPC, EAN, ASCII, MSI/PLESSEY, GS1 DataBar and more.

Easy to implement and simple to use, a built-

in keyboard wedge decoder sends scanned data to an active application where it appears as i f it were manually typed or directly keyed into the computer.

Its versatile switchable USB or RS232 cable interface integrates with most PCs without an ext ernal power supply. With a scan rate of 280 times per second and an accurate read range of up to 50 cm (20 in.), this model offers an effective and efficient, all-

purpose daily scanning solution for less demanding point-of-

sale, office and other low ambient light applications to minimize manual data entry, speed tra nsactions and reduce errors.

Feature



The features and lower cost make this wired

CCD Barcode Scanner the best solution for retail, medical and light industrial applications. Pic k up one today!

The Yumite wired CCD barcode scanner, barcode reader delivers basic, highquality scanning for a wide range of data collection functions to help improve routine transact ions, automate paper-based processes and increase productivity.

Get superior optical performance with a minimum resolution and a maximum reading distanc e with this contact CCD barcode scanner. It features a rugged and reliable design and a plug and play USB interface. It's easy to setup and use.

Specification



Para	Model	YT-1001			
Image					
		Performance Parameter			
Depth Filed		32mm code39(10nil,6bytes)310mm 32mm code39(15.6mil,6bytes)420mn 90mm code128(10mil,6bytes)420mn 32mm code128(10mil,6bytes)420mn 32mm code128(15.6mil,6bytes)420mn 30mm EAN13(10mil,130ytes)300mn 80mm EAN13(15.6mil,130ytes)430mn 0 100 200 300 400 500			
Wireless Tran (without barrie	smitting Distance				
Infrared induct	- 12	_			
Optical Source		620nm Visible red light diode			
Imaging Sensor Image Resolution		CCD 2500Pixel			
Reading Preci		≥ 5mil			
Minimum Cont		≥ 30%			
Decoding Capacity		Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect.			
Decoding Spe		280times/second			
Barcode	Tilt Rotate	±55° ±25°			
Sensitivity	Deflection	±75°			
Data Interface		RJ-45			
Oize (Lenath u		Mechanical and Electric Performance			
Weight	Width x Height)	92.5×70×154.6 mm 127g			
Indicator		Siren and LED light			
Battery Capac	ity				
Max.Power	-55	650mw			
Working Volta		DC5V			
	Max.Current	130ma 86ma			
Current	Working Current Standby Current	42ma			
	Sleeping current				
Charging Curr	ent				
		Accessory List Micro USB			
Data Cable		RS232 Cable			
Wireless Receiver					
CD Operation Mar	nual	1			
Charge Station					
-		Environment Parameter			
Storage Temp Working Temp		-40°C ~ 60°C			
Relative Humi		0°C ~ 50°C 0 ~ 95%			
Height Range		2M			
IP Rating		IP52			
	05	Certification RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004			
	UE	,NOTO,END,EVD; 1303001.2000,13014001.2004			

Certification

Yumite



Certificate Compliance

	Certificate Number: UNI2014123403RC-3	
Applicant	Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xinggiang Business Building, No.1, Dezheng Road,	1
Manufacturer	Shiong Community, Shiyan, Bao'an Diatrict, Shearshen Shearshen World Reputation Electronics Technology Co., Ltd. 6F, B Duiding, B Area, Xinggiang Business Building, No.1, Dezheng Road, Shiong Community, Eriyan, Bao'an Diatrict, Shearshen	1
Product	1 Bar-code Scanner	
Trade Name	1 Yumite	
MIN	YT-1000, YT-760, YT-7608, YT-7608, YT-40200, YT-1100A, YT-1100B, YT- M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX	l

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Directive 2011/65/EU. It is only valid in connection with the test report number. UNI2014122403/RP-3.



LN **EC-R&TTE** Certificate

		Certificate Number: UNI201412240/EC-1
Applicant	ŧ	Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, 8 Building, B. Area, Xingaiang Business Building, No.1, Dezheng Road, Shiong Community, Shiyan, Bao'an District, Shenzhen
Manufacturer		Bhenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingalang Business Building, No.1, Dezheng Road, Shiong Community, Shyan, Bao an Dietrict, Shearben
Product	10	Bar-code Scanner
Trade Name	1	Yumite
MN		YT-1300, YT-880, YT-1200, YT-1400, YT-1800, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art.3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ET5/ EN301 480-1/-3	UN/2014122403ER-1	Pass
At132	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the lated standards and found in complia with the council R&TTE directive \$98/5EC. It is possible to use CE marking to demonstrate the compliance with this Directive. The scope of evaluation relates to the submitted documents only.

2014-12-24 Date of issue

Shenzhen United Testing Technology Co., Ltd. Roen 317,315, Blook 1, University Teen Technology Park, 97 Zine, South Section, Horghuang Industrial Park, Narohan Demis, Section, Horghuang Industrial Park, Narohan Demis Section, Horghuang And Section 2015,86180080, Park 985,755,88180118, http://www.univec.html. Demis/Industrial.com/Indus

CE