YT-760B Semi-auto sense with holder handheld laser barcode reader cheap price and competitive quality



Description



The design of YT-760B is very humanized.when you want to the auto-sense only need to press the

the barcode for manual operation. so there are two kinds of function that you can choose.

Specification



Para	Model	YT-760B
		Image
Image		
		Performance Parameter
Depth Filed		20mm EAN13(1Dmil,13loytes)250mm 15mm coole39(10mil,6bytes) 260mm 40mm coole39(15.6mil,6bytes) 350mm 15mm coole39(15.6mil,6bytes) 270mm 20mm 15mm 20mm coole128(10mil,6bytes) 350mm 15mm coole128(10mil,6bytes) 350mm 20mm 100 20mm 300
Wireless Trans (without barrier	smitting Distance r)	
Infrared inducti		150 - 200mm
Optical Source		650nm Visible red light diode
Reading Precis		≥4mil
Minimum Cons	551 E.S.	≥ 30%
Decording Cap		UPC/EAN/JAN,UPC/EAN with supplementals, UCC/EAN128,Code39,MSI,Code11,Code39 Full ASCII, Code39 Trioptic, Code128,Code128 Full ASCII Codabar,Code93, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5, Interleaved 2 of 5, International general dimensional barcodes, e.g.China postal service code ,ect.
Decoding Spee		
Barcado	Tilt	±65°
Sensitivity	Rotate	±42°
Data Interface	Deflection	±60° RJ-45
		Mechanical and Electric Parameter
Size(Length v	Width x Height)	92.5×70×154.6 mm
Weight		168g
Indicator		Siren and LED Light
Battery Capaci	itv	
Max.Power		500mw
Working Voltag		DC5V
	Max.Current Working Current	<u>100ma</u> 92ma
	Standby Current	92ma 71ma
	Sleeping Current	
Charging Curre		450ma
		Accessory List Micro USB
Data Cable		
Wireless Receiver		
CD		
Operation Man		1
Charge Station	1	1000 C
Holder		1set
Storage Tempe	erature	Environmental Parameter -40°C ~ 60°C
Wireless Rece		0°C ~ 50°C
Relative Humic		0~95%
Height Range	alor 6	1.5M
IP Rating		IP52
	CE.	Certification RoHS, EMC, LVD, ISO9001:2008, ISO14001:2004
1 1	UE,	NUTO, LWO, LVD, 1303001.2000, 13014001.2004

Certification

Yumite



	S LN				
Certificate	8	EC	-R&TTE C	Certificat	e
Compliance	Applicant	4	Shenzhen World Reputation Elect	Certificate Number: UN	H.
Certificate Number: UNI28141214038C-3 Applicant Shenzhen World Reputation Electronics Technology Co., Ltd. Ef. B Building, B Avas, Xrogsing Buuness Building, No.1, Dezheng Road, Shiong Community, Shyan, Bara Dubrict, Shenzhen Product Ber-code Scanner Trade Name Yumite NN Yumite NN	Manufactur Product Trade Namu MIN	H 1	OF, B Building, B Area, Xingsiang Business Building, No 1, Desheng Rosc Shiong Community, Shiyan, Bao'an District, Shearzhen Bhenzhen World Regulation Electronics Technology Co., Ltd. OF, B Building, D Area, Xingsiang Business Building, No 1, Dezheng Rosc Shiong Community, Shiyan, Bao'an District, Sherzhen Bar-dode Scienner Wumite YT-1300, YT-880, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-240 YT-2500, YT-XXXX		
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-3100B, YT- M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX	Essential n	-	Appled Specifications/Standards	Documentary Evidence	Result
na na sete de la compansión	Art.3.1(a)	Heath	Not assessed		
Test Standard: IEC62321:2013	A13.1(R)	Safety	EN60950-1	UNI20141224035R-1	Pass
92	Art.3.1(b) Art.3.2	EMC Radio	ETSI EN301 480-1/-3 ETSI EN300 440	UNI2014122403ER-1 UNI2014122403ER-2	Pass
RoHS Devotive 2011/MSEU. It is only valid in connection with the test report number: UNI2014122403RR-3.	with the co compliance	with this D	ove has been tested by us with the li E directive \$955°EC. It is possible to u inective. In relates to the submitted documents	se CE marking to demonst	
And the second s	Room 317-319 5° Zone, South Nanshan Date	united Te Disch 1. Sin Section. No 3. Streicher	Attin Technology Co., Ltd. wersign Train Technology Park, optimility of the technology Park, optimility the technology Park, o	C	E 認識
Number Parent Resident PDP Arents				C. A. S. A.	122

Our factory





Application

Yumite

