### Wired laser barcode scanner



Wired laser barcode scanner with USB cable scanner is a wired laser barcode scanner can be used in supermarket, logistic, bookstore, hospital etc, in a word where there is a barcode there is a Wired laser barcode scanner with USB cable scanner can be used.



## **Function**

The perfomance of wired laser barcode scanner is very high, not only with faster scanning speed but also have low price cost. the scanner is rubberized with solid shell which can be dropped from 2m high place. and it can read UPC/EAN/JAN,UPC/EAN with supplementals, Discrete 2 of 5 IATA,RSSvanrians,Codabar,chinese 2 of 5,Interleaved 2/5 etc.



# **Specification**

Mould Number	YT760 Wired laser barcode scanner				
Technical parameter					
Light Source Type	Visual lasing diode; the wave length is 650mm.				
Trigger Mode	Manul				
Scanning Mode	Single-line scanning				
Scanning Speed	100±2 times/s				
Scan Precision	≥4mil				
Printing Contrast Ratio	The lowest reflectivity differece is 30%.				
Bit Error Rate	1/50 million				
Environment Luminance	3000-12000 Lux				
Depth of field	5mm-630mm				
Scanning Angle	±60°±65°±42° (Left and right, front and back, rotation)				
Decoding capacity	UPC/EAN/JAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, MSI,				
	Code11, Code 39 Full ASCII, Code 39 TriOptic, Code 128, Code 128Full ASCII,				
Decoding capacity	Codabar, Code93, Discrete2of5, IATA, RSSvariants, Codabar, Chinese2of5,				
	International general dimensional barcodes, e.g. Inteleaved2/5, Interleaved2of5 and China postal sevice code				
Electical parameter					
Input voltage	5VDC±0.25V				
Power	250mW(work): 325mW(momentary maximum)				
Current	50mA(work): 65mA(momentary maximum)				
Standby Current	<20mA				
Prompt Mode	Buzzer and LED indicator				
Physical parameter					
Transfer cable interface	USB				
Dimension	L*W*H: 158mm*68mm*96mm				
Weight	170g(excluding cables)				
Cable standard	Straight line,1m				
Interface type	RJ-45 crystal head				
Outside material	ABS+PC				
Environment parameter					
Temperature	0ºC to 50ºC(work):-40ºC to 60ºC(storage)				
Anti-knock capacity	This product can still work properly after falling from the height of 2m				

#### CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification

Signed by:







#### CERTIFICATE OF REGISTRATION

Certificate No. 117 14 £1 0796 R05
This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6f, Xingqiang Commercial Mansion, No. 1 Dealying Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001-2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenshen World Reputation Electronics Technology Co. LTD Located in 6£ Xingqiang Commercial Manason, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baosan District, Shenzhen

Signed by:







## Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Shenzhen World Raputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shiong Community, Shyan, Savan District, Shenzhen Shenzhen World Reputation Electronics Technology Co., Ltd. 6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road, Shiong Community, Shiyan, Bao'an District, Shenzhen Bar-code Scanner

YUMBB YT-1000, YT-760A, YT-760B, YT-41200, YT-1100A, YT-1100B, YT-M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council RoHS Drective 2011/95/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.



**RoHS** 





#### **EC-R&TTE** Certificate

Certificate Number: UNIZEL4122403EC-1

Applicant

Shenzhen World Reputation Electronics Technology Co., Ltd.
5F. B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shiriong Community, Shiyan, Bao an District, Shenzhen Shenzhen World Reputations Electronics Technology Co., Ltd.
6F. B Building, B Area, Xingqiang Business Building, No. 1, Dezheng Road, Shiriong Community, Shiyan, Bao an District, Shenzhen Bar-code Scanner
Vivorite

Yumits YT-1300, YT-880, YT-1200, YT-1400, YT-1500, YT-2200, YT-2300, YT-2400, YT-2500, YT-XXXX

Essential requirement		Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art.3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 480-1/-3	UNI2014122403ER-1	Pass
At.3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in complice with the council RATTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

Date of issue



onemacement Unitided Leasing 1 ec./hib/hology Ce Rouse (1917-1918 Blook 1, Levressey) Train Technology 5° Zone, South Section, Honghusing Industrial Park, Nariannan Desict, Shesther, PRC 518059 Tar. 48.755-86150900 Fax. 48.755-86150118 http://www.sessiol.25











# **Useage**



