

Indústria e captador de imagens 2D de mão de varejo com scanner de código de barras USB Cabel YT-2000



Description

Yumite

A Wired 2D Barcode Scanner YT-2000 tele digitalização velocidade é 300times / s com 620nm Visível Diodo luz vermelha. Os códigos de barras 2D de uso do scanner CMOS. Portanto, este tino barcode scanner não só código 1D apoio, mas também de código 2D. Ele vai ser amplamente utilizado em mais campos.

Specification

Yumite

Para	Model	YT-2000-03EE
图片		
Image		
Performance Parameter		
Optical Source	620nm Visible red light diode	
Imaging Sensor	CMOS	
Image Resolution	752×480Pixel	
Reading Precision	≥ 5mil	
Minimum Contrast	≥ 30%	
Decoding Capacity	2D	PDF417, QR Code(Model 1/2), Data Matrix(ECC200, ECC000,050, 080, 100,140), Aztec, Maxicode, etc.
	1D	Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Interleaved 2 of 5, ISBN, Code 93, UCC/EAN-128, GS1 Databar, etc.
Decoding Speed	300times/second	
Barcode Sensitivity	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface	RJ-45	
Mechanical and Electric Performance		
Size(Length x Width x Height)	92.5×70×154.6 mm	
Weight	140g	
Indicator	Siren and LED light	
Max.Power	1750mw	
Working Voltage	DC5V	
Current	Max.Current	350ma
	Working Current	325ma
	Standbu Current	53ma
Accessory List		
Data Cable	Micro USB	
Operation Manual	1	
Environmental Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	2M	
IP Rating	IP52	
Certificates		
CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004		

Certification

Yumite

Our factory

Yumite

