Módulo Scanner Wired 2D Barcode Yumite YT-M401



Description



YT-M401 é um módulo de código de barras 2D com fio mini-que é pequeno e requintado pode facilmente integrado em vários quiosques, máquinas de venda de bilhetes, ATM, PDA, POS etc.

- 1. Apoio às Micro código QR
- 2.Better velocidade
- 3.Erro Zero
- 4. Personalização

Specification



Parâmetro de desempenho	
Indução de infravermelho distância	150 - 200 milímetros
Fonte óptica	620nm Visível Diodo luz vermelha
Imaging Sensor	CMOS (Imagem)
Rácio de resolução	752 × 480
Resolução da imagem	≥ 5mil

	Código 39	-280mm 40 milímetros (10mil); 85 milímetros ~ 325 milímetros (15mil)	
Leitura Profundidade	PDF417	-225mm 60 milímetros (10mil); 60 milímetros ~ 340 milímetros (15mil)	
	Data Matrix	-155mm 20 milímetros (10mil); 35 milímetros ~ 235 milímetros (15mil)	
	Código QR	-150mm 35 milímetros (10mil); 20 milímetros ~ 230 milímetros (15mil)	
Contraste mínimo	•	≥ 30%	
	2D	PDF417, QR Code (modelo 1/2), micro QR, Dados Matrix (ECC200, ECC000,050, 080, 100,140).	
Barcode Tipos	1D	Code128, EAN-13, EAN-8, Code39, UPC-A, UPC-E, Codabar, Intercalado 2 de 5, ITF-6, ITF-14, ISBN, Código 93, UCC / EAN-128, GS1 Databar, Matrix 2 de 5, O código 11, industrial 2 de 5, Standard 2 de 5, Plessey, MSI-Plessey etc.	
Decodificação de velocidade		300times / s	
	Inclinar	± 55 °	
Barcode Sensibilidade	Rotate	± 360 °	
	Deflexão	± 55 °	
Dados Interface de porta		TTL ou RS232	
modo de três gatilho		2.RS232 1.Auto-trigger gatilho disparador 3. sinal IO	
Desempenho Mecânica e Elétrica			
Tamanho (comprimento x largura x Altura)		70,3 × 50 × 22,4 mm	
Peso		47g	
Indicador		Sirene e luz LED	
Poder Maximo		1150mw	
Tensão de Trabalho		DC5V	
	Max.Curren	230ma	
Atual	Corrente de trabalho	100mA	
	Stand-by atual	50mA	
Lista Acessório		haana (4 a.c)	
L		RS232 (1.8M)	
Linha de dados		2,54 milímetros cabo flexível (1.2m)	
0 " 16 1		Cabo de controle IO	
Operação Manual Parâmetro Ambiental		um	
Temperatura de armazenamento		-40 ° C ~ 60 ° C	
Temperatura de trabalho		-25 ° C ~ 60 ° C	
Humidade relativa		0 ~ 95%	
Faixa Altura		2m	
Classificação IP		IP52	
Certificados			
CE, RoHS, EMC, LVD, ISO9001: 2008, ISO140	001: 2004		
==, ::::::, 2:10, 2:3, 1000001. 2000, 10011.			

Certification





CERTIFICATE OF REGISTRATION

Certificate No.: 117 14 QU 0252-12 R05 This is to certify the quality management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6F, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of ISO9001:2008

R&D, Production of Barcode Scanning Identification

Signed by:



CERTIFICATE OF REGISTRATION

Certificate No. . 117 14 €1 0796 ROS This is to certify the environmental management systems of

Shenzhen World Reputation Electronics Technology Co., LTD

Organization code 30608924-7

Location 6f, Xingqiang Commercial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

has been assessed and registered as meeting the requirements of GB/T24001--2004/ISO14001:2004

Scope of approval

The Related Environmental Management Activities of RAD, Production of Barcode Scanning Identification Equipment for Shenzhen World Reputation Electronics Echnology Co., UTD Located in 6£ Xingqiang Commencial Mansion, No. 1 Dezheng Road, Shilong Community, Shiyan Street, Baoan District, Shenzhen

Signed by:







Certificate Compliance

Certificate Number: UNIZ014123403RC-3

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Buiding, B Area, Xingolang Business Buiding, No.1, Dezheng Road,
Shilong Community, Shyan, Baer an District, Shenzhen
Shestzhen World Reputation Electronics Technology Co., Ltd.
6F. B Buiding, B Area, Xingolang Business Building, No.1, Dezheng Road,
Shalong Community, Shyan, Baer an District, Shenzhen
Bar-code Scanner
Yumits
71-1500, YT-750, YT-750A, YT-750B, YT-M200, YT-1100A, YT-1100B, YTM300, YT-2009, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council Rol-til Directive 2011/85/EU. It is only valid in connection with the test report number: UNI2014122403RR-3.





RoHS





EC-R&TTE Certificate

Certificate Number: UNIQUALIZABREC-8

Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Suilding, B Area. Xingolang Business Building, No.1, Dezheng Road,
Shlong Community, Shiyan, Bad-an District, Shenzhen,
Shenzhen World Reputation Electronics Technology Co., Ltd.
6F. B Suilding, B Area. Xingolang Business Building, No.1, Dezheng Road.
Shlong Community, Shiyan, Bad an District, Shenzhen
Y-Response Technology Co., Ltd.
9F. B Suilding, Shiyan, Bad an District, Shenzhen
Y-Y-1200, YT-2200, YT-2400, YT-2400, YT-2200, YT-2200, YT-2400, YT-2500, YT-XXXXX

Essential re-	quirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a)	Health	Not assessed		
Art.3.1(a)	Safety	EN60950-1	UNI20141224035R-1	Pass
Art.3.1(b)	EMC	ETSI EN301 489-1/-3	UNI2014122403ER-1	Pass
At.3.2	Radio	ETSI EN300 440	UNI2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in comy with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24



Shenzhen United Testing Technology Co., Ltd. Room 317-319, Block 1, Sinversity Town Technology 5°-Zone, South Section, Honghusing Industrial Park Nanishan District, Sherishen, PRC 518050 Service 98-756-80190900 Fax: +96-756-80190118.





Our factory



