

alta qualidade e velocidade de leitura rápida Imagem 1D CCD Barcode Scanner chinês fornecedor

Yumite



Description

Yumite

Barcode scanner CCD com fios, leitor de código de barras YT-1001 é capaz de melhorar a velocidade, precisão e produtividade.

O mecanismo de verificação apresenta sem partes móveis para anos de serviço confiável de leitura de códigos de barras 1D populares, incluindo UPC, EAN, ASCII, MSI / Plessey, GS1 DataBar e muito mais.

Fácil de aplicar e simples de usar, um decodificador keyboard wedge built-in envia dados digitalizados para um aplicativo ativo onde ele aparece como se tivesse sido digitado manualmente ou diretamente digitado no computador.

Sua interface USB ou RS232 cabo comutável versátil integra com a maioria dos PCs sem uma fonte de alimentação externa. Com uma velocidade de varredura de 280 vezes por segundo e um alcance de leitura precisa de até 50 cm (20 pol.), Este modelo oferece uma solução de digitalização diária eficaz e eficiente, para todos os fins para menos exigente ponto-de-venda, de escritório e outras aplicações de baixa luz ambiente para minimizar a entrada manual de dados, as transações de velocidade e reduzir erros.

Feature

Yumite


Os recursos e menor custo fazer este com fio CCD Barcode Scanner a melhor solução para varejo, aplicações industriais e médicas de luz. Pegue um hoje!

O scanner de código de barras CCD com fio Yumite, leitor de código de barras fornece básico, digitalização de alta qualidade para uma ampla gama de funções de coleta de dados para ajudar a melhorar as operações de rotina, automatizar processos baseados em papel e aumentar a produtividade.

Obtenha um desempenho óptico superior com uma resolução mínima e uma distância máxima de leitura com este scanner de código de barras CCD contato. Ele apresenta um design robusto e confiável e uma interface USB plug and play. É fácil de configurar e usar.

Specification

Yumite

Para	Model	YT-1001
Image		
Image		
Performance Parameter		
Depth Filed		
Wireless Transmitting Distance (without barrier)	—	
Infrared induction distance	—	
Optical Source	620nm Visible red light diode	
Imaging Sensor	CCD	
Image Resolution	2500Pixel	
Reading Precision	≥ 5mil	
Minimum Contrast	≥ 30%	
Decoding Capacity	Code128, EAN-13, EAN-8, Code39,UPC-A, UPC-E, Codabar, Interleaved 2 of 5,ISBN, Code 93, UCC/EAN-128, GS1 Databar, ect.	
Decoding Speed	280times/second	
Barcode Sensitivity	Tilt	±55°
	Rotate	±25°
	Deflection	±75°
Data Interface	RJ-45	
Mechanical and Electric Performance		
Size(Length x Width x Height)	92.5×70×154.6 mm	
Weight	127g	
Indicator	Siren and LED light	
Battery Capacity	—	
Max.Power	650mw	
Working Voltage	DC5V	
Current	Max.Current	130ma
	Working Current	86ma
	Standby Current	42ma
	Sleeping current	—
Charging Current	—	
Accessory List		
Data Cable	Micro USB RS232 Cable	
Wireless Receiver	—	
CD	—	
Operation Manual	1	
Charge Station	—	
Environment Parameter		
Storage Temperature	-40°C ~ 60°C	
Working Temperature	0°C ~ 50°C	
Relative Humidity	0 ~ 95%	
Height Range	2M	
IP Rating	IP52	
Certification		
CE,RoHS,EMC,LVD, ISO9001:2008,ISO14001:2004		



Certificate of Compliance

Certificate Number: UN2014122403RC-3

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumita

M/N : YT-1000, YT-760, YT-760A, YT-760B, YT-M200, YT-1100A, YT-1100B, YT-
M300, YT-2000, YT-2100A, YT-2100B, YT-M400, YT-XXXX

Test Standard: IEC62321:2013

The EUT described above has been consolidated by us and found in compliance with the council
RoHS Directive 2011/95/EU. It is only valid in connection with the test report number:
UN2014122403RR-3.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



RoHS



EC-R&TTE Certificate

Certificate Number: UN2014122403REC-1

Applicant : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Manufacturer : Shenzhen World Reputation Electronics Technology Co., Ltd.
6F, B Building, B Area, Xingqiang Business Building, No.1, Dezheng Road,
Shilong Community, Shiyan, Bao'an District, Shenzhen

Product : Bar-code Scanner

Trade Name : Yumita

M/N : YT-1300, YT-860, YT-1200, YT-1400, YT-1600, YT-2200, YT-2300, YT-2400,
YT-2500, YT-XXXX

Essential requirement	Applied Specifications/Standards	Documentary Evidence	Result
Art.3.1(a) Health	Not assessed		
Art.3.1(a) Safety	EN60950-1	UN2014122403ER-1	Pass
Art.3.1(b) EMC	ETSI EN301 489-1/3	UN2014122403ER-1	Pass
Art.3.2 Radio	ETSI EN300 440	UN2014122403ER-2	Pass

The EUT described above has been tested by us with the listed standards and found in compliance
with the council R&TTE directive 99/5/EC. It is possible to use CE marking to demonstrate the
compliance with this Directive.

The scope of evaluation relates to the submitted documents only.

2014-12-24

Date of issue

Shenzhen United Testing Technology Co., Ltd.
Room 317-319, Block 1, University Town Technology Park,
5th Zone, South Section, Hongshuang Industrial Park,
Nanshan District, Shenzhen, P.R.C. 518055
Tel: +86-755-88130096 Fax: +86-755-88180138
<http://www.unt.com.cn> E-mail: info@unt.com.cn



CE

