

□□□□□□□□

□□□□□□□ □□□□□ □□□□□□□ □□□□□ □□□□□□□□ □□□□□□□ □□□□□ □□□□

□□□□□□□

- 1 □□□□□□□ □□□□□ □□□□□D 2 □□□
- 512 □□□□□□□□□□ □□□□□□□ □□□□ □□□□
- 10 □□□□□□□ □□□□□□□ -M
- □□□□□□ / □□□□ 280 :□□□□□□ □□□□□
- □□□□□□ □□ □□□□ □□ □□ □□□□ □□□□ □□ -
- □□□□□□□□ □□□□□□□ -

□□□□□□□:

□□□□□□		<b>YT-2401 2D</b> □□□□□□□□ □□□□ □□□□□□□
□□□□□ □□□□□		
□□□□□) □□□□□□□□ □□□□ □□□□□□□□ □□□□□□□)		15 - 20M
□□□□□□□ □□□□□□□		620nm □□□□□□□□ □□□□□□□ □□□ □□□□□□□□ □□□□□□□□
□□□□□□□□□□ □□□□□□□□		CMOS
□□□□□ □□□□□		752 × 480Pixel
□□□□ □□□□□□		≥ 5mil
□□□□□□ □□□□□□□ □□□□□		≥ 30□
□□□□ □□	2D	PDF417□ □□□□□□□□ □□□□□□□ □(1/2 □□□□□□) □□□□□□□ □□□□□□□□□□ □□□□ (ECC200□ ECC000□050□ 080□ 100140)
	1D	128 □□□□□ EAN-13□ EAN-8□ 39 □□□□□□□□□□ UPC-A□ UPC-E□ Codabar□ 2 □□□□□□□ 5 □□□□□ ISBN□ 93 □□□□□□□□□□ UCC / EAN-128□ GS1 Databar□ □□□□□
□□ □□□□□		300times / □□□□□□□
□□□□□□□□□ □□□□□□□□ □□□□□□□	□□□□□□□	± 55 □□□□□
	□□□□□□□	± 25 □□□□□
	□□□□□□□	± 75 □□□□□
□□□□□□□□ □□□□□		RJ-45
□□□□□□□□□ □□□□□□□ □ □□□□□□□□□□□□□		
□□□□□ × □□□□□□ × □□□□□) □□□□□		92.5 × 70 × 154.6 □□
□□□□□		140G
□□□□□		□□□□□ □□□□□□ □□□□□□□ LED
□□□□□□□□ □□□□□		600MAH
□□□□□□□ □□□□□□□		1750mw
□□□□□□ □□□□□□□□□ □□□□□		DC5V
□□□□□	Max.Current	350MA
	□□□□□□□ □□□□□□□	325ma
	Standbu □□□□□□□	53ma
□□□□□□□ □□□□□		450MA
□□□□□□□□□□□□ □□□□□□□		
□□□□□□□□ □□□ □□□□□		□□ □□ □□
□□□□□□□ □□□□□□□		1
□□□□□□□ □□□□□□□		1
□□□□□ □□□□□□		1
□□□□□□ □□□□□		
□□□□□□□ □□□□□ □□□□□□		-40 ° C ~ 60 ° C

掃描距離	0 ~ 95cm
掃描速度	2M
防護等級	IP52
認證	CE, EMC, ISO9001: 2008, ISO14001: 2004



1

Super decoding function

2

High-end craft tips





3

High elastic  
button

4

Buzzer  
prompt



Fast decoding

High-performance sensor head

Supporting Screen



1 00 23183 00941 4

Fuzzy bar codes



1 00 23183 00941 4

Imperfect  
bar codes



1 00 23183 00941 4

Paper tickets  
Crease bar codes



1 00 23183 00941 4

# Applications domain



Yumite ISO9001: 2008 .

## CERTIFICATES



Yumite:

Yumite . Yumite







**SERVICE**

OUR



### SERVICE

Professional and patient pre-sale and after-sale service on our products;



### COOPERATION

Stable quality and reasonable price for you to gain long term cooperation;



### OEM&ODM

OEM & ODM service for quantity orders;



### QUALITY

Sample orders welcomed for quality test;



### WARRANTY

Minimum warranty of one year for free.

